



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Internal/External SCSI 160 LVD Ribbon Cable (HD68M/F) with Bracket, 21-in.

MODEL NUMBER: S051-21I



Highlights

- Convert an Internal SCSI port to External
- U160 LVD Rated

System Requirements

- Wide SCSI controller card
- Open slot on CPU for external HD68 bracket

Package Includes

- 21 inch LVD SCSI ribbon Cable
- 68Pin internal/external LVD HD68M/F with bracket

Description

This handy SCSI internal/external ribbon cable converts an available internal channel on a wide SCSI controller card to an external SCSI port (HD68F). LVD rated for U160 and earlier applications.

Features

- External HD68F port comes with mounting bracket
- 21 inches long
- Constructed with "Branded" Twist-n-Flat ribbon
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest ultra 320 to legacy SCSI-1 and every combination in between
- Internal/external cabling option

Specifications

OVERVIEW	
UPC Code	037332116888
Drives Supported	1+
Technology	SCSI; Ribbon/Internal
INPUT	
Cable Length (in.)	21



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

PHYSICAL	
Shipping Dimensions (hwd / in.)	9.300 x 7.000 x 0.750
Shipping Dimensions (hwd / cm)	23.62 x 17.78 x 1.90
Shipping Weight (lbs.)	0.3300
Shipping Weight (kg)	0.15
Color	Gray
CONNECTIONS	
Side A - Connector 1	INTERNAL HD68 (MALE)
Side B - Connector 1	HD68 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>