



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



31-inch Internal SCSI U2/160 SCSI-LVD/SE 4-Drive Ribbon Cable with Terminator (5xHD68 M)

MODEL NUMBER: **S054-31I**



Highlights

- Cable includes Active T-Type LVD/SE terminator
- UL-rated Amphenol brand cable
- Connects up to 5 drives

System Requirements

- Wide SCSI controller card
- Internal SCSI drives and devices with HD68 Pin interface

Package Includes

- 31-in. internal U2/ U160 SCSI ribbon cable 5Conn HD68M 4 drive with active terminator

Description

Introducing Tripp Lite's internal SCSI Ultra2/U160 4-drive LVD ribbon cable with an active U160 terminator. This 31 inch cable is used to connect up to 4 SCSI devices to a SCSI host controller card. The cable is UL rated and is made with twist and flat "branded" ribbon. Because the cable is backwards compatible, it will support SCSI 1,2 & 3 devices such as CD-ROMs and Hard Drives. All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest SCSI specifications of ANSI (American National Standards Institute). Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- Ribbon cable connects up to 4 internal SCSI drives/devices to your internal SCSI controller
- HD68 male connectors
- Cable includes active terminator (T-type) LVD/SE terminator with local chip (ART IDC type)
- UL rated twist and flat "branded" cable
- SCSI U160 cables include active terminators which compensate for impedance mismatches
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

OVERVIEW	
UPC Code	037332116079
Drives Supported	4



Technology	Ribbon/Internal; SCSI
INPUT	
Cable Length (ft.)	2.6
Cable Length (m)	0.8
Cable Length (in.)	31
PHYSICAL	
Shipping Dimensions (hwd / in.)	9.50 x 7.00 x 1.50
Shipping Dimensions (hwd / cm)	24.13 x 17.78 x 3.81
Shipping Weight (lbs.)	0.27
Shipping Weight (kg)	0.13
Color	Gray
CONNECTIONS	
Side A - Connector 1	INTERNAL HD68 (MALE)
Side B - Connector 1	INTERNAL HD68 (MALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>