



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SCSI/Fibre Channel - 42-in. Round Internal U320 5-Drive SCSI LVD/SE Cable 6Conn HD68M

MODEL NUMBER: **S075-42I**



Description

Introducing Tripp Lite's round internal SCSI Ultra320 5-drive LVD/SE cable with an active mode-conditioning T-type crimped on terminator. LVD/SE multi-mode termination enables backward compatibility to legacy single ended devices. The terminator will sense if the bus is running LVD or SE and terminate appropriately. This cable measures 42 inches in length from master to drive #5. This cable, with its new round design, is very flexible and easy to fit into the computer's case. The round shape also significantly improves the air flow around the cables - which can be of great concern with flat ribbon cables. Meets the latest SCSI specification of ANSI (American National Standards Institute). For 3-Drive Connection, see S075-311, or, for Flat Version cables, see S063-311 and S065-42I. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- Ideal for 1U servers where space is at a premium
- Round cable increases flexibility and air flow
- Length (master to drive 5): 42 inches
- Supports transfer speeds up to 320Mbps
- Connect up to 5 drives or internal devices
- HD68 male connectors
- Cable includes active mode conditioning terminator T-type LVD/SE terminator with local chip (ART IDC type)
- SCSI U320 cables include active multi-mode terminators which compensate for fluctuations in the host adapter
- Constructed with premium brand twist and flat brand cable
- UL rated cable
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between

Highlights

- Offers significant improvement in the airflow within devices, fit and management
- Can be used with all generations of SCSI devices
- Comes with U320 terminator
- Can support multiple drives

System Requirements

- U320/U160 SCSI HBA (Host bus adapter card)
- Any internal SCSI drive or device requiring HD68M interface

Package Includes

- 42 inch round internal U320 5-Drive SCSI LVD/SE cable
- 6Conn HD68M with active multi-mode terminator



- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

OVERVIEW	
UPC Code	037332119414
Drives Supported	5
Technology	Ribbon/Internal; SCSI
INPUT	
Cable Length (ft.)	3.5
Cable Length (m)	1.1
Cable Length (in.)	42
PHYSICAL	
Shipping Dimensions (hwd / in.)	9.000 x 6.750 x 2.000
Shipping Dimensions (hwd / cm)	22.86 x 17.14 x 5.08
Shipping Weight (lbs.)	1.1600
Shipping Weight (kg)	0.53
Color	Gray
CONNECTIONS	
Side A - Connector 1	HD68 (MALE)
Side B - Connector 1	(3) HD68 (MALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>