

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## Customer Information Sheet IF IN DOUBT - ASK DRAWING No.: \$423-46 SHEET 3 OF 4 NOT TO SCALE THIRD ANGLE PROJECTION ALL DIMENSIONS IN mm **OBSOLETE** - (3.80) **←** 0.80±0.03 $3.80 \pm 0.05$ - 2.80 14.60 19.00 COMPONENTS SHOWN REELED 16.00 READY FOR INSERTION 20.08.14 12556 0.50 DATE C/NOTE APPROVED: S.BENNETT CHECKED: S.FLOWER I.25±0.05 → CROP-DRAWN: W. J. BOURNE NOTES: POSITION CUSTOMER REF.: QUANTITY OF TABS PER REEL = 20K. TOTAL WEIGHT PER REEL = 7.7kg (INCLUDING REEL). RECOMMENDED MOUNTING HOLE SIZE = Ø1.30 ±0.06. ASSEMBLY DRG: 3. PLATING THICKNESS = 4µ 100% TIN. THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER SET OUT HEREON ARE CONFIDENTIAL AND COPYRIGHT PROPERTY OF THE HARWIN GROUP AND MUST NOT BE MATERIAL: **TOLERANCES** TITLE: 2.8mm BLADE VERTICAL BRASS CW508L HI50 X. = ±1mm TO BS EN 1652 REELED TERMINAL $X.X = \pm 0.25 mm$ (CuZn37 HARD) $X.XX = \pm 0.10$ mm DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING, $X.XXX = \pm 0.01$ mm DRAWING NUMBER: SHT FINISH: SEE NOTES www.harwin.com ANGLES = ±5° TENDERING OR FOR ANY \$423-46 OTHER PURPOSE WITHOUT technical@harwin.com S/AREA: mm<sup>2</sup> UNLESS STATED THEIR WRITTEN PERMISSION

## Customer Information Sheet DRAWING No.: \$423-46 SHEET 4 OF 4 IF IN DOUBT - ASK NOT TO SCALE THIRD ANGLE PROJECTION ALL DIMENSIONS IN mm **OBSOLETE** 2.80 - $0.50 \pm 0.20$ 16,00 19,00 0.20 MAX 8 20.08.14 12556 188 DATE C/NOTE APPROVED: S.BENNETT CHECKED: S.FLOWER $25 \pm 0.05$ 0.80±0.03 -> DRAWN: W. J. BOURNE CUSTOMER REF.: NOTES: I. THIS CROPPED TAB IS OPTAINED BY USING PART No. \$423-46 WITH INSERTION HEAD IH-S423-ROCH. THE SECTION CONNECTING THE TABS IN THE REELED ASSEMBLY DRG: FORMAT IS CROPPED OUT USING THIS INSERTION HEAD. THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATERIAL: **TOLERANCES** TITLE: 2.8mm BLADE VERTICAL BRASS CW508L HI50 MATTER SET OUT HEREON ARE X. = ±1mm CONFIDENTIAL AND COPYRIGHT PROPERTY OF THE HARWIN TO BS EN 1652 CROPPED TERMINAL $X.X = \pm 0.25 mm$ (CuZn37 HARD) $X.XX = \pm 0.10$ mm GROUP AND MUST NOT BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING, $X.XXX = \pm 0.01$ mm DRAWING NUMBER: SHT FINISH: SEE SHEET 3 www.harwin.com ANGLES = ±5° TENDERING OR FOR ANY \$423-46 OTHER PURPOSE WITHOUT technical@harwin.com S/AREA: mm<sup>2</sup> UNLESS STATED THEIR WRITTEN PERMISSION