# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





# GRAPHICS

# S1D13771

August 2007


## S1D13771 TV-Out Graphics Engine

S1D13771 is an extremely low cost, low pin-count device providing direct support for TV output. A high quality internal scaler and complex TV filters allow for VGA resolution input to be stored using a minimum amount of memory, while still providing smoothly scaled output to the full resolution specified by either PAL or NTSC standards. S1D13771 is the ideal solution for cellular phone markets where TV output is a requirement.

The minimal feature set and high level of integration (embedded SRAM and high output DAC) provides a low cost, low power, single chip solution to meet the demands of embedded markets requiring TV output, such as Mobile Communications devices.

### ■ FEATURES

- Embedded SRAM
- Low Operating Voltage
- Parallel Host Interface
- High Output DAC
- High Quality Scaler provides Bi-Cubic input/output scaling
- TV Connect/Disconnect Detection
- PAL and NTSC output
- Auto-Border / Auto-Center of TV Image with a programmable color
- 15-Tap Programmable Chrominance / Luminance Filters
- 3x3 Pixel Filter
- Software Initiated Power Save Mode



### SYSTEM BLOCK DIAGRAM

S1D13771



#### DESCRIPTION

#### **Integrated Frame Buffer**

Embedded SRAM

#### **CPU Interface**

- 8-bit Parallel Indirect Interface (Intel 80)
- · Chip select is used to select device. When in-active, any input data/commands are ignored.

#### Input Formats

- RGB: 8:8:8, 6:6:6, 5:6:5
- YUV: 4:2:2
- · All input data is processed by the scaler and stored in internal memory.

#### **TV Output**

- Composite PAL / NTSC output
- 15-Tap Programmable Chrominance / Luminance Filters
- Scaler uses Bi-Cubic scaling to scale-up or scale-down
- Auto-Border / Auto-Center
- · Programmable border color
- Square Pixel Correction
- Macrovision Protection Support (bond-out option)

#### TV Connect/Disconnect Detection THEORY OF OPERATION

### **Image Enhancement Engine**

- 3x3 Pixel filter
- · User defined coefficients
- · Individual control for each YUV component
- · Display effects include: smooth, sharpen, blur, detail, edge enhance, emboss, contour, flicker filter, sepia, and dot crawl correction

#### **Clock Input**

- Single digital clock input used for: (18-27MHz typical)
- Internal PLL reference clock (PLL used for system clock)
- TV Timing (can optionally use PLL÷2)
- DDS Timing (can optionally use PLL÷2)

#### **Miscellaneous**

- Power save mode
- Software controllable via registers
- General purpose IO pins
- · Configurable interrupt associated with GPIO inputs
- CORE<sub>VDD</sub> 1.5 Volts and IO<sub>VDD</sub> 1.8 to 3.3 Volts
- DAC power supply: 3.0 Volts
- Package: W-CSP 64-pin (4.46 x 4.46mm)

The S1D13771 contains an embedded SRAM frame buffer allowing up to VGA resolution to be stored using a high quality scaling algorithm. All stored images can be scaled-up or scaled-down for display on the TV using bi-cubic scaling. If the resulting image is not scaled-up to the maximum resolution defined by the TV standard, the image is automatically centered and bordered with a programmable border color.

A 3x3 pixel filter and programmable chrominance / luminance filters are provided to generate a high guality TV image.

#### CONTACT YOUR SALES REPRESENTATIVE FOR THESE COMPREHENSIVE DESIGN TOOLS

- S1D13771 Technical Documentation
  - Japan Seiko Epson Corporation IC International Sales Group 421-8, Hino, Hino-shi Tokyo 191-8501, Japan
  - Tel: 042-587-5812 Fax: 042-587-5564 http://www.epson.co.jp/
  - Hona Kona Epson Hong Kong Ltd.

20/F., Harbour Centre 25 Harbour Road Wanchai, Hong Kong Tel: 2585-4600 Fax: 2827-4346 http://www.epson.com.hk/

- CPU Independent Software Utilities
- Evaluation Boards

North America Epson Electronics America, Inc. 2580 Orchard Parkway San Jose, CA 95131, USA Tel: (408) 922-0200 Fax: (408) 922-0238 http://www.eea.epson.com/

Europe

Epson Europe Electronics GmbH Riesstrasse 15 80992 Munich, Germany Tel: 089-14005-0 Fax: 089-14005-110 http://www.epson-electronics.de/

 Royalty Free source level driver code

Taiwan Epson Taiwan Technology & Trading Ltd. 14F, No. 7 Song Ren Road Taipei 110 Tel: 02-8786-6688 Fax: 02-8786-6677 http://www.epson.com.tw/

Singapore Epson Singapore Pte Ltd 1 HarbourFront Place #03-02 HarbourFront Tower One Singapore, 098633 Tel: (65) 6586-5500 Fax: (65) 6271-3182 http://www.epson.com.sg

© SEIKO EPSON CORPORATION 2006-2007. All rights reserved. Information in this document is subject to change without notice. This is not an offer for sale. You may download and use this document, but only for your own use in evaluating Seiko Epson/EPSON products. You may not modify the document. Epson Research and Development, Inc. disclaims any representation that the contents of this document are accurate or current. The Programs/Technologies described in this document may contain material protected under U.S. and/or International Patent laws. EPSON is a registered trademark of Seiko Epson Corporation. All other trademarks are the property of their respective owners.