



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





SCA3000 PWB Specification

1 Introduction

The purpose of SCA3000 PWB is to enable fast prototyping.

SCA3000 PWB includes

- SCA3000 sensor soldered on PWB
- PWB version B: design # VTI29394B0 with pin headers
- Connectors and passive components

Refer to "SCA3000_product_family_datasheet_8257300A" when using the SCA3000 PWB.

2 SCA3000 PWB

Detailed BOM of SCA3000 PWB version B is presented in Table 1 below.

Table 1. BOM of SCA3000 PWB version B.

Item	Qty	Ref	Part Name / type	Value
1	3	C1-3	Capacitor / 0603	100 nF
2	1	J1	8-pin through hole pin header, pitch 100 mils	
3	1	J2	7-pin through hole pin header, pitch 100 mils	
4	1	SCA3000_SPI	SCA3000 sensor	
5	1		PWB (VTI29394B0) / FR4, thickness 1,6 mm, size 20,0 × 23,0 mm	

Detailed pictures of SCA3000 PWB are presented in following pages:

- Circuit diagram
- PWB layout
- Assembly drawings

29394A0.sch-1 - Thu Nov 17 12:10:09 2005




Figure 1 Circuit diagram of SCA3000 PWB version B.




Figure 2 Layouts of SCA3000 PWB version B.




Figure 3 Silk screens of SCA3000 PWB version B.




Figure 4 Assembly drawings for SCA3000 PWB version B.

3 Document Revision History

Version	Date	Change Description
A.02	12.12.2005	SCA3000 PWB version B
A.03	15.05.2006	Document template updated.
A.04	15.06.2006	PWB picture updated to cover page.
A.05	28.06.2006	Contact information updated.
A.06	01.11.2007	Pin header dimensions added, silkscreen updated.

4 Contact Information

Finland**(head office)**

VTI Technologies Oy
P.O. Box 27
Myllynkivenkuja 6
FI-01621 Vantaa
Finland
Tel. +358 9 879 181
Fax +358 9 8791 8791
E-mail: sales@vti.fi

Germany

VTI Technologies Oy
Branch Office Frankfurt
Rennbahnstrasse 72-74
D-60528 Frankfurt am Main,
Germany
Tel. +49 69 6786 880
Fax +49 69 6786 8829
E-mail: sales.de@vti.fi

USA

VTI Technologies, Inc.
One Park Lane Blvd.
Suite 804 - East Tower
Dearborn, MI 48126
USA
Tel. +1 313 425 0850
Fax +1 313 425 0860
E-mail: sales@vtitechnologies.com

Japan

VTI Technologies Oy
Tokyo Office
Tokyo-to, Minato-ku 2-7-16
Bureau Toranomom 401
105-0001
Japan
Tel. +81 3 6277 6618
Fax +81 3 6277 6619
E-mail: sales.japan@vti.fi

China

VTI Technologies Shanghai Office
6th floor, Room 618
780 Cailun Lu
Pudong New Area
201203 Shanghai
P.R. China
Tel. +86 21 5132 0417
Fax +86 21 513 20 416
E-mail: sales.china@vti.fi

To find out your local sales
representative visit www.vti.fi