

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







TABLE 1 **PART NUMBER** "B" SCRUS-10-X-XX-XX-MBS-MB 16.0 [.63] SCRUS-10-X-XX.XX-MBS-AM 25.0 [.98] SCRUS-10-X-XX.XX-MBS-BC 20.0 [.79] SCRUS-10-X-XX.XX-MBS-BM 25.0 [.98]

DESIGNED & DIMENSIONED

IN MILLIMETERS[INCHES]

PLATING -G: .000030" GOLD ON CONTACT AREAS, NICKEL ON SHELLS

SCRUS-10-X-XX.XX-XXX-XX

LENGTH -XX.XX

> (0.25M[9.842] MIN -50.00M[1968.504] MAX)

END 2 OPTIONS

-MB: MINI USB B TYPE PLUG NOT SEALED (THIS END NOT SEALED ONLY)

-BC: BLUNT CUT END (SEE SHEET 5)

-AM: USB A TYPE PLUG NOT SEALED (THIS END NOT SEALED ONLY)

-BM: USB B TYPE PLUG NOT SEALED (THIS END NOT SEALED ONLY)

END 1 OPTIONS

-MBS: MINI USB B TYPE RECEPTACLE SEALED (THIS END SEALED ONLY)

- 00.25 AND - 00.50 ARE CATALOG STANDARD LENGTHS, FOR OTHER LENGTHS CONTACT SAMTEC.




FIG 1

SCRUS-10-X-XX.XX-MBS-MB

SHOWN

- 1. REPRESENTS A CRITICAL DIMENSION.
- 2. ASSEMBLY TO BE 100% TESTED FOR OPENS AND SHORTS, HIGH POT TESTED AT 200V BEFORE PREMOLD IN-PROCESS AND ON FINISHED ASSEMBLY. LABEL EACH ASSEMBLY WITH 1 LABEL-ET.
 - 3. NOTE DELETED

NOTES:

REVISION W

DO NOT

SCALE FROM

THIS PRINT

- 4. USB LOGO TO BE RAISED 0.25[.010]
- 5. PANEL THICKNESS: 0.76[.030] 5.21[.205].
- 6. ASSEMBLY TO BE BULK PACKAGED.
- 7. TORQUE SPECIFICATION FOR SPN-10-01 IS 12 IN-LB.
- 8. NOTE DELETED.
- 9. ALL IDENTIFICATION MARKS MUST NOT STAND GREATER THAN 0.051 [.002] OFF THE SURFACE OF THE PART.
- 10. NOTE DELETED.
- 11. ALL EJECTOR PIN AND GATE LOCATIONS MUST BE APPROVED BY SAMTEC PRODUCT ENGINEERING.
- 12. ANY ADDITIONAL VOIDING AND/OR MODIFICATIONS TO VOIDING MUST BE APPROVED BY SAMTEC PRODUCT ENGINEERING.
- 13. NOTE DELETED.
- 14. NOTE DELETED.
- 15. PART MUST SCREW INTO SAMTEC PART # SCN-10-01
- 16. PART MUST SCREW INTO SAMTEC PART # SPN-10-01
- 17. THIS IS A COMPONENT OF USBP-A-01-G-B-01 (CALLED OUT ON THE BOM), BUT LABELED INDIVIDUALLY FOR ASSEMBLY PURPOSES.
- 18. LENGTHS GREATER THAN 0.50 M ARE NOT SUPPORTED BY USB 2.0 TEST DATA.
- 19. THIS IS A COMPONENT OF USBP-B-01-G-B-01 (CALLED OUT ON THE BOM), BUT LABELED INDIVIDUALLY FOR ASSEMBLY PURPOSES.
- 20. REFER TO MD-XXX-XX-XXXXXX-XX FOR SAMTEC MATERIAL PART NUMBER.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:

DECIMALS ANGLES X.X: ±0.35 [.013] X.XX: ±0.25 [.010] X.XXX: ±0.15 [.006]

MATERIAL:

DO NOT SCALE DRAWING

INSULATOR: GLASS FILLED THERMOPLASTIC CONTACTS: COPPER ALLOY, SHIELDS: CRS CABLE NUT: PA66

SEALED PREMOLD: RITEFLEX 640-RD30565P62-BLACK, SHOT WEIGHT: 9.07gf,020lb SEALED OVERMOLD: ZYTEL PA70G13L 52-91908BKS; MAX REGRIND: 10%, SHOT WEIGHT: 10.43g[.023lb]

PROPRIETARY NOTE

AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC.

INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE

OR PART. TO ANY LINAUTHORIZED PERSON OR ENTITY NOR

REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY

OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS

MAX FLASH ALLOWED: 0.05[,002]

MAX GATE VESTIGE: 0.05[.002]

SHEET SCALE: 0.75:1

THIS DOCUMENT CONTAINS CONFIDENTIAL AND

PROPRIETARY INFORMATION AND ALL DESIGN

WRITTEN CONSENT OF SAMTEC, INC.

NON-SEALED OVERMOLD: PVC ALP-411-75-BK-2885; MAX REGRIND: 30%, SHOT WEIGHT: 6.80g[.015lb]



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com

PANEL MOUNT SEALED MINI USB CABLE

DWG. NO.

SCRUS-10-X-XX.XX-XXX-XX BY: B. PERRY 09-01-2010 SHEET 1 OF 10

F:\DWG\MISC\MKTG\SCRUS-10-X-XX.XX-XXX-XXX-MKT.SLDDRW



FIG. 2 SCRUS-10-X-XX.XX-MBS-BC SHOWN (SAME AS FIG. 1 UNLESS OTHERWISE STATED)




FIG 3 SCRUS-10-X-XX.XX-MBS-AM SHOWN (SAME AS FIG 1 UNLESS OTHERWISE STATED)




TABLE 3: PIN-OUT					
J1 End	Wire Color	J2 End			
-MBS		-MB	-BC	-AM	-BM
01	RED	01	01	01	01
02	WHITE	02	02	02	02
03	GREEN	03	03	03	03
04	NOT CONNECTED	04	04	n/a	n/a
05	BLACK	05	05	04	04
USB Shield	DRAIN/CABLE SHIELD	USB Shield	USB Shield	USB Shield	USB Shield

OR-10-01

* PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMPLE, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR BERRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANIER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMPLE, IN

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:


PANEL MOUNT SEALED MINI USB CABLE


DWG. NO.


SCRUS-10-X-XX.XX-XXX-XXX


BY: B. PERRY 09-01-2010 SHEET 2 OF 10


F:\DWG\MISC\MKTG\SCRUS-10-X-XX.XX-XXX-XXX-MKT.SLDDRW

































DO NOT SCALE DRAWING

SHEET SCALE: 1:5




520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322 code: 55322

PANEL MOUNT SEALED MINI USB CABLE DWG. NO.


SCRUS-10-X-XX.XX-XXX-XX BY: B. PERRY 09-01-2010 SHEET 8 OF 10

F:\DWG\MISC\MKTG\SCRUS-10-X-XX.XX-XXX-XXX-MKT.SLDDRW





F:\DWG\MISC\MKTG\SCRUS-10-X-XX.XX-XXX-XXX-MKT.SLDDRW


BY: B. PERRY 09-01-2010 SHEET 9 OF 10




-MBS -BM END OPTION IN-PROCESS 8 ADD MINI USB B PREMOLD, SAME AS -MB IN-PROCESS 8











PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS

AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED. IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:5



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322 code: 55322

DESCRIPTION:

PANEL MOUNT SEALED MINI USB CABLE DWG. NO.

SCRUS-10-X-XX.XX-XXX-XX

F:\DWG\MISC\MKTG\SCRUS-10-X-XX.XX-XXX-XXX-MKT.SLDDRW

09-01-2010 BY: B. PERRY

SHEET 10 OF 10