



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





SDP8105-001

SDP Series Silicon PhotoDarlington, T-1 Plastic Package

Representative photograph, actual product appearance may vary.

Due to regional agency approval requirements, some products may not be available in your area. Please contact your regional Honeywell office regarding your product of choice.

Features

- T-1 plastic package
- 20 ° (nominal) acceptance angle
- Consistent optical properties
- Mechanically and spectrally matched to SEP8505 and SEP8705 infrared emitting diodes

Description

The SDP8105 is an NPN silicon photodarlington transfer molded in a T-1 black plastic package to minimize effect of visible ambient light. Transfer molding of this device assures superior optical centerline performance compared to other molding processes. Lead lengths are staggered to provide a simple method of polarity identification.



SDP8105-001


SDP Series Silicon PhotoDarlington, T-1 Plastic Package

Product Specifications	
Product Type	IR Component
Angular Response (Degree)	20
Light Current Minimum	0.5 mA
Package Style	T1
Package Components	Plastic
Package Color	Black
Rise and Fall Time	75 μ s
Power Dissipation	70 mW
Operating Temperature Range	-40 °C to 85 °C [-40 °F to 185 °F]
Dark Current	250 nA
Collector-Emitter Breakdown Voltage	15 V
Emitter-Collector Breakdown Voltage	5 V
Collector-Emitter Saturation Voltage	1.1 V
Comment	The radiation source is a IRED with a peak wavelength of 935 nm.
Availability	Global
Product Name	Photodarlington



SDP8105-001


SDP Series Silicon PhotoDarlington, T-1 Plastic Package



Honeywell

SDP8105-001

SDP Series Silicon PhotoDarlington, T-1 Plastic Package



Honeywell

SDP8105-001

SDP Series Silicon PhotoDarlington, T-1 Plastic Package

⚠ WARNING
PERSONAL INJURY
 DO NOT USE these products as safety or emergency stop devices, or in any other application where failure of the product could result in personal injury.

Failure to comply with these instructions could result in death or serious injury.

 WARNING

MISUSE OF DOCUMENTATION

- The information presented in this product sheet (or catalog) is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

Failure to comply with these instructions could result in death or serious injury.

© Copyright Honeywell Inc. 1998-2004 All rights reserved.