

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









**ROHS COMPLIANT** 

## PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
Α	DCN 43237	03/17	MAL





**MATERIAL**:

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1 BODY:

BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04 CONTACT:

**INSULATOR:** PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B

FINISH:

BODY: PASSIVATED PER AMS-2700

GOLD PER ASTM B488, TYPE II, CONTACT:

CODE C, CLASS 1.27, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

**PERFORMANCE:** 

IMPEDANCE:

50 OHMS DC TO 2.0 GHz. FREQ. RANGE:

_			
	MATERIAL: SEE NOTES		
	FINISH:	SEE NOTES	
	SURFACE AREA: N/A PROPRIETARY		
	IS THE SOLE PI ANY REPRODU WITHOUT THE	TION CONTAINED IN THIS DRAWIN ROPERTY OF SV MICROWAVE, IN CTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF E, INC IS PROHIBITED.	

ATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES:	
NISH:	SEE NOTES	FRACTIONAL: ±1/64 ANGULAR: X° ±1° X°X' ±15 DECIMAL: .X ±.030 .XX ±.010	
JRFACE AREA: N/A		.XXX ±.005 INTERPRET DIMENSIONS AND TOLERANCE: PER ASME Y14.5M - 1994	
PROPRIETARY HE INFORMATION CONTAINED IN THIS DRAWING			
		THIRD ANGLE PROJECTION	

DIMENSIONS ARE IN INCHES TOLERANCES:			
FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'			
DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005			
INTERPRET DIMENSIONS AND TOLERANCES			

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING.
3) BREAK CORNERS & EDGES .005 R. MAX.
4) CHAM. 1ST & LAST THREADS.
5) SURFACE ROUGHNESS 63 MIL-STD-10.
6) DIA'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R.
7) REMOVE ALL BURRS

UNLESS OTHERWISE SPECIFIED

D ANGLE PROJECTION	DRAWN:	VB 03/23/17
	CHECKED:	MAL 03/23/17
	APPROVED:	MAL 03/23/17



BZ JACK TO SMA JACK ADAPTER

ı		95077	DWG. NO.	SF1122	2-6108
	SCALE: 4:1				SHEET 1 OF 1