

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








## **ROHS COMPLIANT**

## PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
В	REL. DCN 32900	03/05	BRT
С	DCN 41517	07/15	STW





BODY & COUPLING NUT: STAINLESS STEEL

BERYLLIUM COPPER LOCK RING:

CONTACT: **BRASS** 

PTFE **INSULATOR**:

GASKET: SILICONE RUBBER

FINISH:


**COUPLING NUT: PASSIVATED** 


**BODY & CONTACT: GOLD OVER NICKEL** 

**PERFORMANCE:** 

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 18.0 GHz.





SEE ABOVE				
SEE ABOVE				
SURFACE AREA: N/A				
PROPRIETARY				
TION CONTAINED IN THIS DRAWING ROPERTY OF SV MICROWAVE, INC. CTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF E, INC IS PROHIBITED.				

DIMENSIONS ARE IN INCHES TOLERANCES:				
FRACTIONAL: ±1/64 ANGULAR: X° ±1°0'				
DECIMAL: X ±.030 .XX ±.010 .XXX ±.005				
INTERPRET DIMENSIONS AND TOLERANCES				

INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

THIRD ANGLE PROJECTION	DRAWN:	JI 08/20/93
	CHECKED:	DWC 08/23/93
<b>Y U</b>	APPROVED:	DWC 08/23/93

UNLESS OTHERWISE SPECIFIED

ALL DIMENSIONS ARE AFTER PLATING.
BREAK CORNERS & EDGES .005 R. MAX.
CHAM. 1ST & LAST THREADS.
SURFACE ROUGHNESS 63 S MIL-STD-10.
DIA.'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R.
REMOVE ALL BURRS



SMA STRAIGHT PLUG FOR Ø.085 CABLE

-	95077	DWG. NO.	SF2906	-6002
SCALE: 4:1				SHEET 1 OF 1