

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











## PRODUCT DATA DRAWING





## **MATERIAL:**

STAINLESS STEEL PER AMS-5640, BODY:

ALLOY UNS S30300, TYPE 1

BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04 CONTACT:

**INSULATOR:** PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B

FINISH:

BODY: PASSIVATED PER AMS 2700

GOLD PER ASTM B488, TYPE II, CODE C, CLASS .76, OVER NICKEL CONTACT:

PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

PERFORMANCE:

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 18.0 GHz

MATERIAL:	SEE NOTES			
FINISH:	SEE NOTES			
SURFACE AREA: N/A				
PROPRIETARY				
IS THE SOLE ANY REPROI WITHOUT TH	ATION CONTAINED IN THIS DRAWI PROPERTY OF SV MICROWAVE, II JUCTION IN PART OR AS A WHOLE E WRITTEN PERMISSION OF VE, INC IS PROHIBITED.			

	DIMENSIONS ARE IN INCHES TOLERANCES:					
	FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'					
	DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005					
	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994					
G	THIRD ANGLE PROJECTION					

5) SURFACE ROUGHNESS 63e	MIL-STD-10.			
3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SURFACE ROUGHNESS 63-MIL-STD-10. 6) DIA.'S ON COMMON CENTERS TO BE CONCENTRIC				
2) ALL DIMENSIONS ARE AFTE				
) ALL DIMENSIONS ARE AFTE	R PLATING.			

CHECKED: APPROVED:

**UNLESS OTHERWISE SPECIFIED** 

DAL 10/21/15

DGG 09/13/76

SV Microwave, I	Inc
2400 Centrepark West Drive, Suite	100

West Palm Beach, FL 33409

SMA JACK, 4 HOLE FLANGE MOUNT PANEL RECEPTACLE

SIZE <b>B</b>	95077	DWG. NO.	SF2950-	6061
SCALE: 6:1				SHEET 1 OF