## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



ANDUIT<sup>®</sup> ELECTRICAL SOLUTIONS



- For indoor use
- Designed to grip the bundle tightly to resist lateral movement of the tie once installed
- High strength allows the tie to withstand rough installation practices that occur in MRO and construction environments
- Thin, wide strap body provides flexibility enabling it to conform to bundle while maintaining tensile strength



A. System

B1. Cable Ties

B2.

Cable

Accessories

C1. Wiring Duct

C2. Surface Raceway

C3. Abrasion

Protection

C4. Cable Manageme

\_

D1. Terminal

D2.

Power Connecto

D3. Groundi Connecto

E1.

Labeling Systems

> E2. Labels

E3. Pre-Printed & Write-On Markers


E4. Permanent Identification

E5. Lockout/ Tagout & Safety

Solutions

F. Index

- Curved tip is easy to pick up from flat surfaces and allows faster initial threading to speed installation
- UL Listed for use in plenum or air handling spaces per NEC
- Complementary mounts available, see pages B2.7, B2.11, B2.13 and B2.21



y		Ler	igth	Wi	dth	Thick	iness		ax. Idle ia.	Ten	Loop sile ngth	Recommended Installation	Std. Pkg.	Std. Ctn.	
	Part Number	In.	mm	In.	mm	In.	mm	In.	mm	Lbs.	Ν	Tool	Qty.	Qty.	
n on	Miniature Cross Section – Plenum-Rated														
	SG100M-C	4.2	106	.118	3.0	.038	1.0	.90	23	18	80	GTS, GTSL, GS2B, PTS, PPTS, STS2	100	1000	
	Intermediate Cross Section – Plenum-Rated														
nt	SG150I-C	6.2	157	.168	4.3	.040	1.0	1.50	38	40	178	GTS, GTSL, GS2B, PTS, PPTS, STS2	100	1000	
-	Standard Cros	s Sectio	on – Ple	enum-R	ated										
	SG200S-C	8.3	211	.225	5.7	.046	1.2	2.00	51	50	222	GTS, GTSL, GS2B, GTH, GS4H, PTS, PTH, PPTS, STS2, STH2	100	1000	
s	SG250S-C	10.4	264	.225	5.7	.050	1.3	2.60	66	75	334		100	1000	
	SG300S-C	12.4	315	.225	5.7	.050	1.3	3.20	81	75	334		100	1000	
	SG370S-C	15.3	389	.225	5.7	.052	1.3	4.20	107	75	334		100	1000	
rs	Light-Heavy Cross Section – Plenum-Rated														
	SG350LH-L	15.3	389	.330	8.4	.064	1.6	4.13	105	120	534	GTH, GS4H, GS4EH, PTH, STH2, ST3EH	50	500	
g	Heavy Cross Section – Plenum-Rated														
S	SG450H-L	18.6	471	.380	9.7	.068	1.7	5.20	132	175	778	GTH, GS4H, GS4EH, PTH, STH2, ST3EH	50	500	

P