



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)






Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




# Series: SH

## 2.54mm Stamped In-Line Socket Strip


- ❖ Accepts square or round post
- ❖ Side and end stackable
- ❖ Single row 2 - 40 positions
- ❖ Dual row 4 - 80 positions




SH1




SH3



SH2



SH4



Ordering example: **SH1 - 09 G**

# Specifications



## Stamped In-Line Socket Strip Series:

### SH

<b>Ratings:</b>	
Current	1A
Dielectric strength	AC 500 V for 1 minute
Contact resistance	30 mΩ max. at 100 mA DC
Insulator resistance	1000 MΩ min. at 500 V DC

<b>Material:</b>	
Plastic	PBT Glass-filled, UL94V-0
Color	Black
Contact	Phosphor Bronze
Temperature range	-55°C / +105°C

### ORDERING PROCEDURE

1 - 2 3

- 1) Series
- 2) Number of Positions (see series page for available positions)
- 3) Plating:
  - Z = Tin
  - G = Gold