# mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Oil & Gas > Electronics & Electrical Supplies > Cable Ties and Accessories > 3M<sup>™</sup> Dual Lock Fasteners > 3M<sup>™</sup> Dual Lock<sup>™</sup> Reclosable Fastener SJ3762, Die-Cut Piece Part, Stem Density 400, Black, 28.5 mm, 1000 pieces per case

## 3M<sup>™</sup> Dual Lock<sup>™</sup> Reclosable Fastener SJ3762, Die-Cut Piece Part, Stem Density 400, Black, 28.5 mm, 1000 pieces per case


3M ID 70070573996 UPC# 00021200241314 3M Product Number SJ-3762



Black, polypropylene reclosable fastener with rigid backing, rigid backed circle with hole 400 stems per square inch, 1 1/8 inch (28.5 mm) outside diameter, round rigid backed reclosable fastener.

Need Help?

Questions? We can help Contact Us



### Overview |

3M <sup>TM</sup> Dual Lock <sup>TM</sup> Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock fasteners hundreds of times. High temperature and solvent resistant. Rigid backed Dual Lock are designed for mechanical attachment like riveting or popping into place

#### Specifications

Diameter	28.5 Millimetre
Engaged Thickness Range (metric)	8.66 to 9.22 Millimetre
Fastening Area	5.87 Square Centimetre
ID Hole Size	4.1 Millimetre
Manufacturing Segment	Exterior, Interior
Number of Holes	1
OD Hole Size	7.9 Millimetre
Piece Parts Type	Die-Cut
Stem Color	Black
Stem Density	400
Unmated Thickness (metric)	5.1 Millimetre

3M: News Careers Partners & Suppliers Investor Relations MSDS Search Transport Information Search Contact 3M

Legal Information Privacy Policy

© 3M 2014. All Rights Reserved.