



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





All 3M Products Innovation About 3M

Search

United States [Change](#)

Oil & Gas

[Industry Solutions](#) | [Products](#) | [Resources](#) | [About 3M Oil & Gas](#)

[Contact Us](#)

[United States](#) > [All 3M Products](#) > [Safety and Security](#) > [Oil & Gas](#) > [Products](#)

[Oil & Gas](#) > [Industrial Adhesives & Tapes](#) > [Fasteners](#) > [3M™ Hook and Loop](#) > 3M™ Fastener SJ3526N Hook White, 1 in x 50 yd 0.15 in (3.8 mm) Engaged Thickness, 3 per case Bulk

## 3M™ Fastener SJ3526N Hook White, 1 in x 50 yd 0.15 in (3.8 mm) Engaged Thickness, 3 per case Bulk

3M ID 70070970036 UPC# 00021200862441 3M Product Number 86244 3M Product Number SJ3526N




3M™ Fastener SJ3526N is a high performance PSA nylon hook with a rubber adhesive and white polypropylene film liner.

- White colored hook fastener backed with a high performance, rubber based adhesive designed for indoor applications requiring medium temperature resistance.
- Woven nylon is durable for thousands of closures.
- Aerospace, Electronics, Construction, Specialty Vehicle, Military, Medical, Furniture, General Industrial
- Securing Fabric to Furniture Cushions, Airplane Seating, Carpet Panel Attachments, Uniforms, Gloves and Clothing

[Buy at Shop3M.com](#)

**Need Help?**

**Questions?** We can help [Contact Us](#)



Like [Sign Up](#) to see what your friends like.

[Overview](#) | [Support](#)

This product is coated with a high performance rubber adhesive. Medium temperature performance. Bonds well to paper and cardboard, paint, bare and painted metal, glass, sealed wood and many plastics. Designed for indoor use.

**Specifications**

<b>Adhesive Type</b>	High Performance Rubber Adhesive
<b>Brand</b>	3M
<b>Closure Life</b>	5000
<b>Color</b>	White
<b>Engaged Thickness</b>	0.15 Inch
<b>Flame Retardant</b>	No
<b>Hook/Loop</b>	Hook
<b>Industry - Use</b>	Construction, Electronics, Furniture, General Industrial, Medical, Military & Government, MRO, Specialty Vehicle, Transportation
<b>Length</b>	50 Linear Yard
<b>Length (metric)</b>	45.72 Linear Metre

<b>Liner Thickness</b>	3 Milli-inch (mil)
<b>Liner Type</b>	White Polyethylene with Red Logo
<b>Low Profile</b>	No
<b>Material</b>	Nylon
<b>Maximum Operating Temperature (Celsius)</b>	49 Degree Celsius
<b>Maximum Operating Temperature (Fahrenheit)</b>	120 Degree Fahrenheit
<b>Product Form</b>	Roll
<b>Units per Case</b>	3
<b>Width</b>	1 Inch
<b>Width (metric)</b>	25.40 Millimetre

**3M:** [News](#) | [Careers](#) | [Partners & Suppliers](#) | [Investor Relations](#) | [MSDS Search](#) | [Transport Information Search](#) | [Contact 3M](#)

[Legal Information](#) | [Privacy Policy](#)

© 3M 2014. All Rights Reserved.

