



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832




Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SJS516200

| REV | ECN | APP'D |
|-----|------|--------|
| - | 5663 | J. TON |
| A | 5706 | J. TON |
| B | 5720 | J. TON |
| C | 5796 | J. TON |



PART MARKING AS FOLLOWS:

BACC63DH0116PX APCD
YYWW SJS5162XX

DATE
CODE

SEE TABLE 1 FOR FULL PART NUMBERS

NOTES:

- MATERIALS:
HOUSING: PA 6/6
CONTACT RETAINER: STAINLESS STEEL
GROMMET: SILICONE RUBBER PER A-A-59588
SEAL: SILICONE RUBBER PER A-A-59588
- OPERATING RANGE:
TEMPERATURE: -65 °C TO 160 °C
INSULATION RESISTANCE: 5000 MEGOHMS MINIMUM
DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS SEA LEVEL
200 VRMS @100,000 FT. ALTITUDE
- CURRENT RATING: 13 AMPS
VIBRATION: PER EIA-364-D METHOD 28
- ACCEPTS (1) M39029/58-364 PIN CONTACT (NOT INCLUDED)
- CONTACT RETENTION - MUST LOCK 25 LBS
LOCKING FEATURE - NO BREAK 25 LBS

TABLE 1 - PART NUMBER SCHEME

| APCD PART# | BACC PART# | COLOR |
|------------|----------------|-------|
| SJS516200 | BACC63DH0116PB | BLUE |
| SJS516210 | BACC63DH0116PR | RED |

| | | | | | | | |
|---|---|-----------------------|--|-------------------------|--|------------------|-----------------------------|
| DIMENSIONS ANSI Y14.5M UNITS: INCHES Pro/E FILE | TOLERANCES .XX ±0.01 .XXX ±0.005 ANGLES ±1.0° | PROJECTION | Amphenol Pcd SPECIFICATION DRAWING | | TITLE IN-LINE JUNCTION SINGLE WIRE, SIZE 16 RECEPTACLE | | |
| | | | ENGR S. STONE 10/19/05 | CHKD J. TON 10/19/05 | APPD J. TON 10/19/05 | SIZE B | DWG NO. SJS516200 |
| ORIGINAL | THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD INC., PEABODY, MA | | | CODE: 58982 | SCALE: 3:1 | SHEET 1 OF 1 | |

SJS516200

SJS516200