

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Specification Sheet

Part Number: SNP2210C2



Snapper Hose Clamp, .92"-1.05" Bundle Diameter, POM, White, 100/pkg

| Article Number | 190-00113 |
|---------------------|---|
| Туре | SNP22 |
| Color | White (WH) |
| Features & Benefits | Designed for quick, ratcheted installation and can be released and reused. Polyacetal material resists chemicals, corrosion and UV rays making it suitable for extreme environments. |
| Quantity Per | bag |

| _ | | _ | | |
|-----|------|--------------|---------|------|
| PrΛ | イロント | Desc | ۱rin | tion |
| 110 | uucı | DC3 (| , I I I | uvii |

UV Resistant (Yes/No)

Snapper Hose Clamps are lightweight and corrosion-resistant. Manufactured from high-performance thermoplastic materials selected to work well in a variety of diverse environments. A quick ratchet closure provides for reduced assembly line time and allows for application after connection of the hose. Release is achieved by initiating opposed lateral movement of the ratchet ends. Heat stabilized materials are available for high-temperature, motor, and under-hood applications. Snappers are also stable in a wide variety of chemicals including salts, bases, alcohols, ethers, detergents, gasoline, lubricating oils, and greases. The Snapper is available in 32 standard sizes ranging from 1/4" to 4-1/2" ID. Snappers are manufactured in white polyacetal and black polyamide 6.6 glass filled impact modified heat stabilized material. Custom designed and different colored or shaped Snappers are available based upon applications and volume requirements.

| Short Description | Snapper Hose Clamp, .92"-1.05" Bundle Diameter, POM, White, 100/pkg |
|-------------------|---|
| Global Part Name | SNP22-POM-WH |

| Fixation Method | Plug-in mounting |
|------------------------------|------------------|
| Variant | Closed |
| Wall Thickness WT (Imperial) | .07 |
| Wall Thickness WT (Metric) | 1.8 |

| Material | Polyacetal (POM) |
|-------------------|------------------|
| Material Shortcut | POM |
| Flammability | UL 94 HB |
| | |

No

| Operating Temperature (Metric) | -40°F to +185°F (-40°C to +85°C) |
|--------------------------------|----------------------------------|
| ROHS Complaint | Yes |
| | |
| Package Quantity(Imperial) | 100 |
| Package Quantity (Metric) | 100 |
| Customs Number | 3926909987 |
| | |

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $[\]hbox{@ 2018 HellermannTyton. All rights reserved.}$