

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Microscope Selection Guide

A step-by-step guide to creating your customized stereo-zoom microscope setup

Let's Get Started

Binocular Microscopes

Binocular microscopes are an excellent choice for high-volume inspection stations, parts and quality inspections, medical or scientific research, and most applications requiring high quality 3D images. All images are viewed through eyepieces for optimum, field of view, depth of field, clarity, and color. You cannot capture images using binocular microscopes.



Inspection Cameras

(Trinocular Microscopes Only)

By attaching an inspection camera onto the port of your trinocular microscope, you can view your inspection on a monitor and digitally save images. USB models connect to your computer and require software for image capture, measurement and annotation. HDMI cameras connect directly to an HD monitor and save images to a SD card or USB flash drive. Advanced HDMI cameras have integrated imaging/measurment software.



Illumination

Next, think about illumination. LED ringlights are ideal for lower range magnifications, while Fiberoptic Illuminators (FOI) provide more intensity and focus of light, and work well with high-range magnifications. Fiberoptic illuminators also save a significant amount of energy, making them better for both the environment and your budget.



Trinocular Microscopes

Trinocular microscopes come have all the advantages of a binocular scope, as well as a trinocular port for attaching a camera. These scopes are ideal for operators who need both the depth of field provided by traditional eyepieces, and the option of capturing a 2D image for further study.



Microscope Stands

Pole stands require a basic focus mount. They are not tiltable but can be adjusted vertically.



Arm stands require a tiltable arbor or E-arm focus mount, and can be adjusted horizontally and vertically.



Articulating arm stands require a tiltable arbor or E-arm focus mount, and can be adjusted horizontally and vertically. These stands can swivel 360* and provide operators with the greatest range of working space.





Stereo Zoom

Microscopes The AVEN Advantage

Straight Light PathSingle light path with one bend prevents

image distortion



Custom Made Prisms

Prisms custom designed to fit precisely, eliminating gaps for dust and contamination

Unibody ConstructionAssures constant prism alignment

Single Gear Objective Lens Movement

Keeps the objective lenses aligned for the life of the microscope


Model #	Description	Magnification	Working Distance
SPZ-50	Best in class magnification range and working distance	6.7x-50x (3.35x-200x with optional lenses)	41mm-240mm
SPZH-50	Ideal for any inspection application requiring high magnification	21x-135x (180x with optional lenses)	84mm
DSV-44	Versatile body with large magnification range and working distance	2.5x-140x (45mm-150mm with optional lenses)	45mm-150mm
SPZV-50	Best in class magnification range and working distance	6.7x-50x (3.35x-200x with optional lenses)	41mm-240mm
SPZHT-50	Ideal for any inspection application requiring high magnification	21x-135x (180x with optional lenses)	84mm
DSZV-44	Versatile body with large magnification range and working distance	2.5x-140x (45mm-150mm with optional lenses)	45mm-150mm

Aven Inc. 4330 Varsity Drive Ann Arbor, MI 48108 734-973-0099

sales@aventools.com

aveninc.com

Stereo Zoom Microscope Selection Guide



Software

Microscope Stands



26800B-512 Pole Stand with Focus Mount & LED Illumination



26800B-570 Heavy Duty Post Stand

Focus Mount Adapter Required



26800B-519 Single Arm Boom Stand w/Heavy Metal Base



26800B-534 Dual Arm Boom Stand w/Heavy Metal Base



26800B-555 Light-Weight Articulating Arm Stand



26800B-560 Standard Articulating Arm Stand

Focus Mount Included



26800B-511 Pole Stand with Focus Mount

Focus Mount Adapter



26800B-521 Tiltable Arbor



26800B-518 E-Arm Focus Mount

Focus Mounts



26800B-207 Focus Mount With Integrated

IED Ring Light



26800B-517
Focus Mount with Coarse and
Fine Focus for DSZ, SPZ and
NSW Series Microscope Rodies

Illumination



26200B-214 LED Ring Light w/ Polarizer



26200B-220 Diffuse Axial LED Illuminator



26200B-217 Pro Series 40 LED Ring Light



26200B-218 Pro Series 80 LED Ring Light



26200B-211 LED Ring Light 60 LED



Don't Forget

26800B-460 LED Ring Light Adapter



26200B-213 Triple Color LED' Ring Light



26200B-212 LED Ring Light 70 LED



26200A-300 ProLux LED Fiber Optic Illuminator



26200A-402 FOI Ring Light For Microscopes



26200A-523 Dual Pipe Light Guide

Eye Pieces (optional)



26800B-448 DHW-10X



26800B-450 DHW-20X



26800B-449 DHW-15X



26800B-455 10x with 10:100mm Scale



26800B-456 10x with 5:100mm



26800B-459 10x w/10:100mm Scale Cross Hair

Finished

Auxiliary Lenses (optional)



26800B-461 Auxiliary Lens 0.5x



26800B-462 Auxiliary Lens 0.75x



26800B-463 Auxiliary Lens 1.6x



26800B-464 Auxiliary Lens 2.0x