

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








REVISION AN NOTES: SQW-1XX-01-XXX-D-VS-XX-XXX 1. © REPRESENTS A CRITICAL DIMENSION. No OF POSITIONS POLARIZATION OPTION 2. POSITIONS -04 THRU -50 ARE TO BE TUBED -02 THRU -50 DO NOT -XXX: INDICATES POSITION POLARIZED 3. POSITIONS 02 & 03 ARE TO BE LAYERED PACKAGED. (PER ROW) SCALE FROM (USE PK-07-N, SEE FIG 2, SHT 2) 4. MAXIMUM CUT FLASH: .010[.25]. 5. STAKED ALIGNMENT PIN USED AT SAMTECS DISCRETION. THIS PRINT **OPTION** LEAD STYLE -A: STAKED & MOLDED IN ALIGNMENT PIN -01 6. MEASURE THE HEIGHT FROM THE EDGE, NOT THE BREAK OFF. PLATING SPECIFICATION (5 POS MIN) (USE SM-A8H, SEE FIG 3, SHT 2) 7. MEASURED AT BEND RADIUS, NOT END OF PIN. -LC: LOCKING CLIP (5 POS MIN) -F: 3µ" FLASH SELECTIVE GOLD IN CONTACT AREA 8. DUE TO THE HIGH AMOUNT OF INSERTION FORCE NEEDED, (USE LC-07-TM, SEE FIG 4, SHT 2 & NOTE 8) MATTE TIN ON TAIL THE -LC OPTION IS NOT COMPATIBLE WITH AUTO PLACEMENT. -P: PICK & PLACE PAD (4 POS MIN) -L: 10µ" LIGHT SELECTIVE GOLD IN CONTACT AREA SAMTEC RECOMMENDS MANUAL PLACEMENT FOR ALL (USE LMP-03, SEE FIG 6, SHT 2) MATTE TIN ON TAIL ASSEMBLIES WITH THE -LC OPTION. -TR: TAPE & REEL -S: 30µ" SELECTIVE GOLD IN CONTACT AREA (AVAILABLE POS 4 THRU 28) 9. MINIMUM PUSHOUT FORCE: .5 LB. MATTE TIN ON TAIL -K: POLYAMIDE FILM PAD (4 POS MIN) 10. MAXIMUM COPLANARITY .0060[0.152]. -STL: 30µ" SELECTIVE GOLD IN CONTACT AREA (USE K-DOT-.167-.281-.005, SEE FIG 7, SHT 2) TIN/LEAD (93/7+/-5%) TAIL -H: 30µ" HEAVY GOLD IN CONTACT AREA 3u" ON TAIL TAIL STYLE -FM: 3µ" FLASH SELECTIVE GOLD IN CONTACT AREA -VS: VERTICAL MATTE TIN ON TAIL -LM: 10µ" LIGHT SELECTIVE GOLD IN CONTACT AREA **ROW SPECIFICATION** MATTE TIN ON TAIL -SM: 30µ" SELECTIVE GOLD IN CONTACT AREA -D: DOUBLE (USE SQW-XX-D) MATTE TIN ON TAIL ((No OF POS x .07874 [2.000]) + .0117 [.297]) ±.010 [.25] (No OF POS x .07874 [2.000]) - .07874 [2.000] REF 02 M 囯 囯 囯 Ħ 囯 Ш 囯 囯 .157 [4.00] .07874 [2.0000] REF REF 国 闽 囯 囯 囲 囯 .090 2.29 01 2° MAX SWAY -**IN-PROCESS** (EITHER DIRECTION) .064[1.61] SQW-XX-D REF .203 .250 [6.35] REF .050[1.27] $\langle C \rangle$ (SEE NOTE 7) .015[0.38] \square SEE NOTE 10 REF .014 [0.36] REF ·.0197[0.500] REF (TYP) (EITHER DIRECTION) .034 0.85 REF C-97-01-XXX .186 4.72 REF FIG 1 SQW-110-01-XXX-D-VS SHOWN PROPRIETARY NOTE UNLESS OTHERWISE SPECIFIED, THIS DOCUMENT CONTAINS CONFIDENTIAL AND DIMENSIONS ARE IN INCHES. PROPRIETARY INFORMATION AND ALL DESIGN, TOLERANCES ARE: MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC DECIMALS ANGLES INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR .XX: ±.01 [.3] 2° 520 PARK FAST BLVD. NEW ALBANY, IN 471.50 .XXX: ±.005 [.13] REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY PHONE: 812-944-6733 FAX: 812-948-5047 OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC. .XXXX: ±.0020 [.051] e-Mail info@SAMTEC.com code 55322 DO NOT SCALE DRAWING DESCRIPTION: INSULATOR: LCP, UL 94 VO, COLOR: BLACK 2MM SOCKETS TRIP ASSEMBLY TERMINAL: PHOSPHOR BRONZE SQW-1XX-01-XXX-D-VS-XX-XXX 04/22/1997 SHEET 1 OF 3 BY: DEAN P F:\DWG\MISC\MKTG\SQW-1XX-01-XXX-D-VS-XX-XXX-MKT.SLDDRW






d 🔳 🔳


USER DIRECTION OF UNREELING
POCKET NOT DETAILED

0 0 0 0 0



PARTS TO COME OFF REEL AS SHOWN WITH POCKETS FACING UP


TAPE & REEL VIEW



TUBE VIEW



-LOOSE END OF REEL



* PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND

REEL

PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHICH OF PART, TO AN UNAUTHORIZED PERSON OR ENTITY OF PROPERTY OF THE PROPERTY OF THE

WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 4:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

2MM SOCKETS TRIP ASSEMBLY

DWG. NO.

SQW-1XX-01-XXX-D-VS-XX-XXX

BY: DEAN P 04/22/1997 SHEET 3 OF 3