



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



MODEL:

# SRSHELFKBD

## SmartRack® 1U Rack-Mount Keyboard



Mounts in 1U  
of Space



Full Keyboard  
and Touchpad




Heavy-Duty  
Steel Housing



Slides In and Out  
for Easy Access

- A** 1U Height
- B** Handle
- C** 104-key Keyboard and 2-Button Touchpad in Sliding, Lockable Drawer
- D** Console Port
- E** Rackmounting Brackets
- F** Heavy-Duty Steel Housing
- G** Keys (2)

Also Includes: Owner's manual and KVM cable kit (USB).



The SRSHELFKBD SmartRack® 1U Rack-Mount Keyboard is a full 104-key keyboard and two-button touchpad designed for mounting in an EIA-standard 19-inch rack. It can be mounted in a 2- or 4- post rack. Tripp Lite's B019-000 bracket (sold separately) is required for two-post mounting. It's ideal for use with KVM switches and servers that don't include a keyboard.

### Specifications





Model	SRSHELFKBD
Console Port	USB-A (Female)
Unit Dimensions (H x W x D)	1.71 x 18.82 x 21.75 (43 x 478 x 552 mm)
Shipping Dimensions (H x W x D)	5.91 x 20.47 x 22.83 (150 x 520 x 580 mm)
Unit Weight	19.6 lb (9 kg)
Shipping Weight	22.6 lb (10 kg)
Standards	EIA/ECA-310-E, RoHS

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS



1111 W. 35th Street  
Chicago, IL 60609 USA  
773.869.1234  
www.tripplite.com



Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

MODEL:  
**SRSHELFKBD**

1111 W. 35th Street  
Chicago, IL 60609 USA  
773.869.1234  
[www.tripplite.com](http://www.tripplite.com)