



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SmartRack Side Airflow Ducting Kit for Network Switches

MODEL NUMBER: SRSWITCHDUCT



Highlights

- Two intake scoop duct to direct airflow.
- Adjustable depth universal equipment mounting rails to hold the piece of equipment being cooled
- Foam baffling to segregate hot and cold aisles

Package Includes

- Top and bottom air scoop duct
- Foam hot air recirculation prevention strips
- Metal hot aisle duct baffle
- Universal equipment support rails
- All mounting hardware
- Owner's Manual

Description

The SRSWITCHDUCT is a rackmount, ducting kit that pulls air in from the front of the rack and directs it to the side intake on equipment such as network switches. Each duct is 2U tall, with one above and one below the mounted equipment. Foam baffling is included to create a hot air exhaust pathway to prevent hot air from recirculating back to the cold aisle side of the rack.

Features

- Two intake scoop duct to direct airflow
- Adjustable depth universal equipment mounting rails to hold the piece of equipment being cooled
- Foam baffling to segregate hot and cold aisles

Specifications

OVERVIEW	
UPC Code	037332182333
Accessories Type	Cooling Accessories
PHYSICAL	
Shipping Dimensions (hwd / in.)	22.24 x 28.54 x 22.24
Shipping Dimensions (hwd / cm)	56.49 x 72.49 x 56.49
Shipping Weight (lbs.)	22.00
Shipping Weight (kg)	9.98



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

CERTIFICATIONS	
Certifications	EIA-310-E
Approvals	RoHS
WARRANTY	
Product Warranty Period (Worldwide)	5-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>