



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



MODELS:

SRW18USDP / SRW18USDPG

SmartRack® Wall-Mount UPS-Depth Rack Enclosure Cabinet



18 Rack Units



250 lb.
Load Rating



Sturdy Steel
Construction



Locking Doors
& Side Panels



Clear Acrylic
Front Window
(SRW18USDPG only)



Hinged Wall
Bracket




Standard
19" Rack Width



Convenient
Cable Access




Adjustable
Mounting Rails



Ventilated for
Ample Airflow




Reversible
Cabinet




Square/
Threaded Hole
Mounting

- A** Front Door
(Lockable/Removable/Reversible.
SRW18USDP door is perforated;
SRW18USDPG door has a clear acrylic window.)
- B** Adjustable Mounting Rails (4)
(Support square and threaded hole mounting options.)
- C** Side Panels (2)
(Lockable/Removable)
- D** Cable Access Port Covers (4)
(Removable)
- E** Ventilation Fan Ports (4)
(Support optional SRFANWM fan kit.)
- F** Hinged Wall Bracket
- G** Keys (2)

Also Includes: Owner's manual, cabinet ground screw, pre-installed front door ground wire and rack-mount equipment mounting hardware (42 cage nuts, 42 M6 mounting screws, 42 #12-24 x 5/8" mounting screws, 42 nylon cup washers).



Floor-Standing Installation: Optional SRCASTER kit adapts cabinet to roll under desks, tables or counters. (Kit includes 4 casters.)



- UPS-depth wall-mount enclosures provide convenient, locking storage for rack-mount IT devices and other equipment that should be off the floor, out of the way and secure
- The cabinet is fully reversible, allowing installers to change door hinges from left to right by simply rotating the unit 180 degrees before mounting
- Hinged wall bracket allows cabinet to swing away from the wall for convenient access to equipment and cabling

SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS




1111 W. 35th Street
Chicago, IL 60609 USA
773.869.1234
www.tripplite.com

Specifications


Model	SRW18USDP / SRW18USDPG
Rack Spaces	18U
Equipment Mounting Depth	Up to 24.5 in. / 622 mm
Load Rating*	250 lb. / 113 kg
Unit Dimensions (H x W x D)	35.61 x 23.5 x 25.98 in. / 905 x 597 x 660 mm
Shipping Dimension (H x W x D)	40.95 x 26.77 x 27.56 in. / 1040 x 680 x 700 mm
Unit Weight	100.9 lb. / 46 kg (SRW18USDP) 99.6 lb. / 45 kg (SRW18USDPG)
Standards	Tested to UL/CSA 60950-1, IEC 60297-3-100, RoHS, NOM (Mexico), EIA/ECA-310-E, GOST; PCI Compliant, IP20 Protection Rating

* The load rating includes the combined weight of the unit and installed equipment. The unit must be mounted to a stable surface with user-supplied anchors capable of bearing the full load.







FRONT VIEW



SIDE VIEW



REAR VIEW






TOP/BOTTOM VIEW

Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

MODELS:
SRW18USDP /
SRW18USDPG



MODELS:
SRW18USDP /
SRW18USDPG



1111 W. 35th Street
 Chicago, IL 60609 USA
 773.869.1234
 www.tripplite.com

Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.