

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









### SmartRack 3U Fan Panel - 3 208-240V highperformance fans; 315 CFM; C14 inlet

MODEL NUMBER: SRXFAN3U



### Description

Tripp Lite's SRXFAN3U SmartRack Panel-mount Triple Fan Accessory (for use with SmartRacks) is ideal for increasing the ventilation of SmartRacks, enclosures and server cabinets. The unit features (3) 4-in.-208-240V fans mounted in a 3U panel and includes mounting hardware.

#### **Features**

- Tripp Lite's SRXFAN3U SmartRack Panel-mount Triple Fan Accessory (for use with SmartRacks) is ideal for increasing the ventilation of SmartRacks, enclosures and server cabinets
- Unit features (3) 4-in.-208-240V fans mounted in a 3U panel
- Includes mounting hardware

## **Specifications**

OVERVIEW	
UPC Code	037332144843
Accessories Type	Cooling Accessories
INPUT	
Nominal Input Voltage(s) Supported	208V AC; 230V AC; 240V AC
Nominal Input Voltage Description	208-240V AC 50/60 Hz
Voltage Compatibility (VAC)	208; 220; 230; 240
PHYSICAL	

#### **Highlights**

- 3U rack mount fan panel
- Ideal for increasing the ventilation of SmartRacks
- Features (3) 208-240V fans mounted in a 3U rack panel
- Required mounting hardware included
- · Cold rolled steel with black finish

#### **Package Includes**

 Fan unit with C14 power inlet and required mounting hardware. User-supplied cord required.



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

7.600 x 4.000 x 20.600	
19.30 x 10.16 x 52.32	
5.8000	
2.63	
5.22 x 18.87 x 1.50	
13.26 x 47.9 x 3.81	
SPECIAL FEATURES	
<= 45dB	
WARRANTY	
2-year limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>