imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



RTV Silicones



ALL MG PRODUCTS 👻

ump to Product Number
Product Number GO
Accessories
Adhesives
<u>Brushes</u>
<u>Cleaners / Degreasers</u>
Contact Cleaners
Desoldering Braid
Dusters & Circuit Coolers
EMI / RFI Shielding
<u>Epoxies</u>
Flux and Flux Remover
Glass & Screen Cleaners
Isopropyl Alcohol
Lead Free Solder
Lubricants
Potting & Encapsulating
Protective Coatings
Pens
Prototyping Materials
RTV Silicones
Soldering/desoldering
Specialized Cleaners
Swabs
<u>Thermal Management</u>
Thermally Conductive
Adhesives

<u>Wipes</u>

RTV Silicones by ACCEPTINE Performance materials Primer for 2-part RTV Silicones SS4155



Primary Characteristics Blue

For one and two part silicones

Applications

- Airframe/External
- Exterior
 Interior

Ready to use, silicone primer for use with one and two part room temperature or heat cured RTV silicone compounds to bind to metals, ceramics, some rigid plastics and wood. Blue color makes easy visual determination of uniform coating.

Available Sizes

Catalog Number	Sizes Available	Description	Case Qty
SS4155-1P	1 pint	0.8 lbs	6

Specifications

Appearance	Blue	
D.O.T. Label	Flammable	
Density	0.82 g/cm ³	
Dry time	60.0 minute(s)	
Flash Point	37.0 C	
Silicone Content	10.0 %	
Solvent	Mineral spirits	



Technical Support for RTV Silicones

1-800-255-8886

M.G. Chemicals Disclaimer for RTV Silicones >

Locate Distributor >

Quick Links

- MSDS
- Specifications
- Available Sizes
- Primer Guide

SS4004P SS4044P SS4120 SS4179

Resources

- Selection Guide >
- One Part Chart
- 🕨 <u>Two Part Chart</u> 🌆

Find by Application

<u>General Purpose</u> >

Aerospace >

<u>Marine</u> >

High Performance Assembly >

Electronics >

Thermal Conductivity >

High Temperature >

Low Temperature >



Google Search MG

Return to top ^

© 2000 - 2007 MG Chemicals. All rights reserved. Site Map Terms & Conditions Contact Us

web site design by offbeat studio