



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com




Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



UNCONTROLLED DOCUMENT

PART NUMBER  
SSP-D29B9SYC-12V

REV.



ELECTRO-OPTICAL CHARACTERISTICS  $T_A=25^{\circ}\text{C}$   $V_f=12\text{V}$


| PARAMETER          | MIN         | TYP  | MAX | UNITS      | TEST COND            |
|--------------------|-------------|------|-----|------------|----------------------|
| PEAK WAVELENGTH    |             | 590  |     | nm         |                      |
| FORWARD VOLTAGE    |             | 12   |     | $V_f$      |                      |
| REVERSE VOLTAGE    | 5.0         |      |     | $V_r$      | $I_f=100\mu\text{A}$ |
| AXIAL INTENSITY    |             | 1500 |     | mcd        | $V_f=12\text{V}$     |
| VIEWING ANGLE      |             | 40   |     | $2x$ theta |                      |
| EMITTED COLOR:     | YELLOW      |      |     |            |                      |
| EPOXY LENS FINISH: | WATER CLEAR |      |     |            |                      |

LIMITS OF SAFE OPERATION AT  $25^{\circ}\text{C}$

| PARAMETER                        | MAX        | UNITS                        |
|----------------------------------|------------|------------------------------|
| PEAK FORWARD VOLTAGE             | 14         | V                            |
| STEADY CURRENT                   | 12         | mA                           |
| POWER DISSIPATION                | 310        | mW                           |
| DERATE FROM $25^{\circ}\text{C}$ | -1.2       | $\text{mW}/^{\circ}\text{C}$ |
| OPERATING, STORAGE TEMP.         | -40 TO +85 | $^{\circ}\text{C}$           |

\*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), X.X=±0.5 (±0.020), X.XX=±0.25 (±0.010), X.XXX=±0.127 (±0.005), LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030), MIN= <sup>+0.00</sup> <sub>-0.00</sub> DECIMAL PRECISION MAX.= <sup>+0.00</sup> <sub>-0.00</sub> DECIMAL PRECISION

UNCONTROLLED DOCUMENT

|   |                                 |   |   |   |          |           |
|---|---------------------------------|---|---|---|----------|-----------|
| REV.  | PART NUMBER<br>SSP-D29B9SYC-12V | CONFIDENTIAL INFORMATION<br>THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF SUNBRITE LEDS. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY SUNBRITE LEDS, THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES. |  | 286 E. HELEN ROAD<br>PALATINE, IL 60067-6976<br>PHONE: +1.847.359.2790<br>FAX: +1.847.359.2867<br>WEB: www.sunbriteleds.com |          |           |
| 10mm CIRCULAR BA9 BASE LAMP,<br>590nm AllnGaP YELLOW LED, WATER CLEAR LENS. |                                 | RELIABILITY NOTE<br>DUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.  |   | DRAWN:<br>BC  | CHECKED: | APPROVED: |