



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Aven Inc.
4595 Platt Rd.
Ann Arbor, MI 48108
Phone: 734.973.0099
Email: info@aventools.com • **Web Address:** www.aventools.com

All Categories > Optical Inspection Tools > Stands and Focus Mounts > Stands > Type T Stands with Focus Mount > Item # Stand T

Item # Stand T, Stand Type T with Focus Mount



[larger image](#)

[Features](#) · [Specifications](#)

Features

- Transmitted and Incident Lights are built in the Type T stand
- Type T stand has Fluorescent 9 watt incident light and Tungsten Transmitted light
- Base 160 mm x 219 mm (6.30" x 8.62")
- Stage Plate: Frosted glass plate diameter 80 mm (3.15") and Frosted blue filter diameter 37 mm (1.46")
- Stand Type L same as stand T but Incident Light is Tungsten
- Rack and Pinion Focus Mount, tension control pin included

Specifications

Light	Incident: 9W Fluorescent Transmitted: Tungsten
Base	6.30 x 8.62 in 160 x 219 mm
Diameter	74 mm
Used for	DSZ-44, DSZT-44, and NSW Series Bodies
Weight	10 lb

[Print](#) [Back](#)