# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

### SUPDM56HW - UPS Accessory - Hardwire PDU Module

#### MODEL NUMBER: SUPDM56HW



#### Description

The SUPDM56HW hardwire input/output PDU module converts compatible SmartOnline Hot-Swappable Modular UPS Systems (models SU5000RT4U and SU6000RT4U) to a totally hardwired solution. Easy quick-connect terminal block allows installation of hardwire distribution module in minutes. Can accept input voltages of 120/208 or 120/240 VAC split-phase power. Detachable hardwire module allows for effortless UPS maintenance without the need to power down connected loads and re-wire input/output connections.

#### Features

- The SUPDM56HW hardwire input/output PDU module converts compatible SmartOnline Hot-Swappable Modular UPS Systems (models SU5000RT4U and SU6000RT4U) to a totally hardwired solution
- Easy quick-connect terminal block allows installation of hardwire distribution module in minutes
- Can accept input voltages of 120/208 or 120/240 VAC split-phase power
- Detachable hardwire module allows for effortless UPS maintenance without the need to power down connected loads and re-wire input/output connections

## **Specifications**

| OVERVIEW         |              |
|------------------|--------------|
| UPC Code         | 037332126696 |
| Accessories Type | PDU Module   |

#### Highlights

- Converts compatible
  SmartOnline Hot-Swappable
  Modular UPS systems to
  hardwire input and output
- For use with input voltages of 120/208 or 120/240 VAC splitphase power
- Convenient quick-disconnect terminal block allows installation in minutes

#### **System Requirements**

 Use with SU5000RT4U and SU6000RT4U split-phase SmartOnline Hot-Swappable Modular UPS Systems

#### **Package Includes**

- SUPDM56HW hardwire PDU
- Mounting Hardware
- Owner's Manual



| OUTPUT                                 |  |  |
|--|--|--|
| Frequency Compatibility                | 50 / 60 Hz   |  |
| Output Receptacles                     | Hardwire   |  |
| Output Nominal Voltage                 | 120/208, 120/240                                     |  |
| INPUT                                  |  |  |
| Nominal Input Voltage(s) Supported     | 100V AC; 110V AC; 115V AC; 120V AC; 127V AC; 140V AC |  |
| Input Connection Type                  | Split-phase hardwire (4-wire)                        |  |
| Voltage Compatibility (VAC)            | 100-140  |  |
| PHYSICAL                               |  |  |
| Shipping Dimensions (hwd / in.)        | 5.750 x 12.000 x 10.000                              |  |
| Shipping Dimensions (hwd / cm)         | 14.60 x 30.48 x 25.40                                |  |
| Shipping Weight (lbs.)                 | 4.0000   |  |
| Shipping Weight (kg)                   | 1.81   |  |
| Unit Dimensions (hwd / in.)            | 6 x 8.25 x 3.25                                      |  |
| Unit Dimensions (hwd / cm)             | 15.24 x 21 x 8.3                                     |  |
| Unit Weight (lbs.)                     | 2.75   |  |
| Unit Weight (kg)                       | 1.25   |  |
| Material of Construction               | Steel  |  |
| CERTIFICATIONS                         |  |  |
| Certifications                         | Tested to UL1778 (USA), CSA (Canada), RoHS compliant |  |
| WARRANTY                               |  |  |
| Product Warranty Period<br>(Worldwide) | 2-year limited warranty                              |  |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>