imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Precision screwdrivers, nutdrivers, pliers, cutters, and tool kits.



Originating from a tiny metalworking company in 1921, the Xcelite[®] brand of precision hand tools has been a favorite of service technicians for over 75 years. It is now known throughout the electronics industry for its full line of high quality precision screwdrivers, nutdrivers, pliers, cutters, interchangeable-blade sets, specialized tools and kits.

FEATURE CODES

- E = (Prefix) "Accu-Lite" Grips
- V = Blister carded
- J = Flush cutting edges
- K = Semi-flush cutting edges
- S = Coil spring
- G = Smooth jaws

Phillips[®] is a registered trademark of The Phillips Screw Co. Torx[®] is the trademark of Camcar Division of Textron Inc. Allen[®] is a registered trademark of Apex Brands, Inc. Pozidriv[®] is a registered trademark of Camcar Division of Textron, Inc. Belden[®] is a registered trademark of Belden, Inc.

Xcelite[®]

Xcelite® Tool Selection Guide

Allen® Type Hex Socket Screws



| Cap screws 1960 series Nominal screw sizes | 1936 series. | Flat head cap screws | Button head cap screws | Shoulder screwsh | Set screws | Catalog number | Hex size (inches) |
|---|--------------|-------------------------|---------------------------|------------------|------------|-----------------|----------------------|
| - | - | - | - | - | 0 | | .028 |
| - | - | 0 | 0 | - | 1&2 | P19 | .035 |
| 0 | 0&1 | 1&2 | 1&2 | - | 3&4 | LN20, P20, 9920 | .050 |
| 1 | 2 | 3&4 | 3&4 | - | 5&6 | LN21, 9921 | 1/16 |
| 2&3 | 3&4 | 5&6 | 5&6 | - | 8 | LN22, P22, 9922 | 5/64 |
| 4&5 | 5&6 | 8 | 8 | - | 10 | LN23, P23, 9923 | 3/32 |
| 6 | - | - | - | - | - | LN764, 99764 | 7/64 |
| - | 8 | 10 | 10 | 1/4 | 1/4 | 9924 | 1/8 |
| 8 | - | - | - | - | - | LN964, 99964 | 9/64 |
| 10 | 10&12 | 1/4 | 1/4 | 5/16 | 5/16 | LN25, 9925 | 5/32 |
| 1/4 | 1/4 | 5/16 | 5/16 | 3/8 | 3/8 | 9926 | 3/16 |
| - | 5/16 | 3/8 | 3/8 | - | 7/16 | | 7/32 |
| 5/16 | - | 7/16 | - | 1/2 | 1/2 | | 1/4 |

Phillips® Type Screws







| Wood screw Flat Oval | Round | Machine screw Flat Oval Binding | Round Fillister | Sheetmetal Truss Brazier Button | Flat Round Oval Stove Binding | Point size | Blade diameter (inches) |
|----------------------------|----------|---|--------------------|--|---|------------|-------------------------------|
| 0.1 | 0.1 | 0.1 | 0.1 | - | - | 0 | 1/8 |
| 2, 3, 4 | 2, 3, 4 | 2, 3, 4 | 2, 3, 4 | 2, 3, 4, 5 | 2, 3, 4 | 1 | 3/16 |
| 5, 6, 7 | 5, 6, 7 | 5, 6, 8 | 5, 6, 8 | 6, 8, 10 | 5, 6, 7 | | |
| 8,9 | 8, 9, 10 | 10 | 10 | | 8, 10 | 2 | 1/4 |
| 10, 12 | 12, 14 | 12, 1/4" | 12, 1/4" | 12, 1/4" | 12, 14 | | |
| 14, 16 | 16 | | 5/16" | | | 3 | 5/16 |
| 18, 20 | 18, 20 | 5/16", 3/8" | 3/8", 7/16" | 5/16", 3/8" | - | 7/64 | |
| 24 | 24 | 7/16", 1/2" | 1/2" | 7/16", 1/2" | | 4 | 3/8 |
| - | - | - | - | - | LN964, 99964 | 9/64 | |
| 10&12 | 1/4 | 1/4 | 5/16 | 5/16 | LN25, 9925 | 5/32 | |
| 1/4 | 5/16 | 5/16 | 3/8 | 3/8 | 9926 | 3/16 | |
| 5/16 | 3/8 | 3/8 | - | 7/16 | | 7/32 | |
| - | 7/16 | - | 1/2 | 1/2 | | 1/4 | |

Note: See fixed handle drivers; compact convertible sets; Series 99[®] sets and interchangeable blades; combination reversible drivers, kits, and blades, offset ratchet screwdriver sets.



Xcelite driver or blade



Xcelite® Tool Selection Guide

Bristol Type Multiple-spline Socket Screws







Xcelite blade

| Set screws | Cap screws 1960 screws. | Flat head | Button head | Catalog number | Tip size (inches) | Number of flutes |
|-------------|----------------------------|-------------|-------------|-------------------|----------------------|------------------|
| No. 2-No. 3 | - | No. 0 | No. 0 | 9961 | .048 | 6 |
| No. 4 | No. 0 | No. 1-No. 2 | No. 1-No. 2 | 9962 | .060 | 6 |
| No. 5 | - | - | - | 9963 | .069 | 4 |
| No. 5-No. 6 | No. 1 | No. 3-No. 4 | 99-64 | 9964 | .072 | 6 |
| No. 8 | No. 2-No. 3 | No. 5-No. 6 | No. 5-No. 6 | 9966 | .096 | 6 |
| No. 10 | No. 4-No. 5 | No. 8 | No. 8 | 9967 | .111 | 6 |
| 1/4" | - | No. 10 | No. 10 | - | .145 | 6 |
| 5/16" | No. 10 | 1/4" | 1/4" | 9969 | .183 | 6 |

Slotted Screws



Xcelite driver or blade

| | 01 51000 | | | | | |
|------------|-----------------------|--|--|--|--|--|
| Screw size | Tip size (inches). | | | | | |
| 0 | 3/32 | | | | | |
| 1 | 3/32 | | | | | |
| 2 | 1/8 | | | | | |
| 3 | 5/32 | | | | | |
| 4 | 3/16 | | | | | |
| 5 | 3/16 | | | | | |
| 6 | 1/4 | | | | | |
| 7 | 1/4 | | | | | |
| 8 | 5/16 | | | | | |
| 9 | 5/16 | | | | | |
| 10 | 5/16 | | | | | |
| 12 | 3/8 | | | | | |
| 14 | 3/8 | | | | | |
| 16 | 7/16 | | | | | |
| 18 | 7/16 | | | | | |
| | | | | | | |

Note: See round and square blade fixed handle drivers, compact convertible sets, Series 99[®] kits and interchangeable blades, combination reversible blade drivers and kits, offset ratchet screwdriver sets.

Hex Head Screws



Xcelite driver or blade

| Screw size | Tip size (inces). | Screw size | Tip size (inches) |
|------------|----------------------|------------|----------------------|
| 1 | .073 | 4 | 1/8 |
| 2 | .086 | 4 | 1/8 |
| 3 | .099 | 6 | 3/16 |
| 4 | .112 | 6 | 3/16 |
| 5 | .125 | 6 | 3/16 |
| 6 | .138 | 8 | 1/4 |
| 7 | .151 | 8 | 1/4 |
| 8 | .164 | 8 | 1/4 |
| 10 | .190 | 10 | 5/16 |
| 12 | .216 | 10 | 5/16 |
| 1/8 | .250 | 12 | 3/8 |
| 1/8 | .312 | 16 | 1/2 |
| 1/8 | .375 | 18 | 9/16 |

*See fixed handle drivers catalog numbers with or without prefix P, HS, A or AA, magnetic nutdrivers with suffix M; and Series 99® blades with prefix 99.

Xcelite[®]

Xcelite® Tool Selection Guide

Hex Head Bolts and Hex Head Cap Screws

| | Z | Xcelite nutdriver or blade |
|-----------------------|---------|----------------------------------|
| Bolt or screw size | Number* | Hex opening (inches) |
| 1/4 | 14 | 7/16 |
| 5/16 | 16 | 1/2 |
| 3/8 | 18 | 9/16 |
| 7/16 | 20 | 5/8 |
| 1/2 | 24 | 3/4 |

*See fixed handle drivers catalog numbers with or without prefix P, HS, A, or AA; Magnetic nutdrivers with suffix M; and Series 99® blades with prefix 99.

XTD15


XTD20

XTD25

XTD27

XTD30

Torx® Screws



T15

T20

T25

T27 T30

| E | |
|---|--|
| | |
| | |

Hex Machine Screw Nuts

| Xcelite |
|-----------|
| nutdriver |
| or blade |

| Nut size (inches) | For screw diameter. | Number* | Hex opening. |
|----------------------|---------------------|---------|--------------|
| 0 | .060 | 5 | 5/32 |
| 1 | .073 | 5 | 5/32 |
| 2 | .086 | 6 | 3/16 |
| 3 | .099 | 6 | 3/16 |
| 4 | .112 | 8 | 1/4 |
| 5 | .125 | 10 | 5/16 |
| 6 | .138 | 10 | 5/16 |
| 8 | .164 | 11 | 11/32 |
| 10 | .190 | 12 | 3/8 |
| 12 | .216 | 14 | 7/16 |
| 1/4 | .250 | 14 | 7/16 |
| 5/16 | .312 | 18 | 9/16 |
| 3/8 | .375 | 20 | 5/8 |

*See fixed handle drivers catalog numbers with or without prefix P, HS, A or AA, magnetic nutdrivers with suffix M; and Series 99® blades with prefix 99.



| Nut size | Number* | Hex opening (inches) |
|----------|---------|-------------------------|
| 1/4 | 14 | 7/16 |
| 5/16 | 16 | 1/2 |
| 3/8 | 18 | 9/16 |
| 7/16 | 22 | 11/16 |
| 1/2 | 24 | 3/4 |

*See fixed handle drivers catalog numbers with or without prefix P, HS, A, or AA; Magnetic nutdrivers with suffix M; and Series 99® blades with prefix 99



Screwdrivers

Except where otherwise noted, all blades are AISI 6150 chrome vanadium steel, plated for protection.

6-Piece Precision Electronic Screwdriver Set

| | (, 1984, 1984, 1) Antoning (, 1984, 1) Ant | "ESD" Se | Chrome-molybdenum v Fast turning swivel cap Black oxide tips for long No-roll handle design k | otection to ESD sensitive items vanadium steel blades provide superior streng is w/cavity provides optimum control for preci ger wear life eeps drivers from rolling off uneven surfaces a home and keeps drivers safe | se centering |
|----------------|--|--------------|--|---|----------------|
| Catalog number | UPC No. | Packed | Description | Contents | Product Weight |
| XP600 | 037103157513 | Storage Case | 6 Piece ESD safe slotted/Phillips® screwdriver set with storage case | 1.5mm x 60mm slotted tip screwdriver 2.0mm x 60mm slotted tip screwdriver 2.5mm x 60mm slotted tip screwdriver 3.0mm x 60mm slotted tip screwdriver #0 point Phillips® tip screwdriver #00 point Phillips® tip screwdriver | 0.50 lb |

6-Piece Precision Electronic Torx® Set

| | (1999) (1 | | "ESD" Safe | Chrome-molybo Fast turning sw Black oxide tips No-roll handle oxide | vide protection to ESD sensitive items lenum vanadium steel blades provide superior streng ivel caps w/cavity provides optimum control for precis for longer wear life lesign keeps drivers from rolling off uneven surfaces ovides a home and keeps drivers safe | |
|----------------|--|--------|------------|--|--|----------------|
| Catalog number | UPC No. | Packed | Desc | ription | Contents | Product Weight |
| | | | | | (1) #E point atopdard Tary@ tip coroudriver | |

| Catalog number | UPC No. | Packed | Description | Contents | Product Weight |
|----------------|--------------|--------------|--|--|-----------------------|
| XPTX600 | 037103157720 | Storage Case | 6 Piece ESD safe Torx® screwdriver set with storage case | #5 point standard Torx® tip screwdriver #6 point standard Torx® tip screwdriver #7 point standard Torx® tip screwdriver #8 point standard Torx® tip screwdriver #10 point standard Torx® tip screwdriver #10 point standard Torx® tip screwdriver #15 point standard Torx® tip screwdriver | 0.50 lb |

6-Piece Precision Electronic Nutdriver Set

| | | | ESD safe to provide protection t Chrome-molybdenum vanadium Fast turning swivel caps w/cavit Black oxide tips for longer wear No-roll handle design keeps driv Storage case provides a home a | steel blades provide y provides optimum life vers from rolling off | e superior strength control for precise o uneven surfaces | centering |
|----------------|--------------|--------------|--|---|---|----------------|
| Catalog number | UPC No. | Packed | Contents | Blade Length | Overall Length | Product Weight |
| XPND600 | 037103265449 | Storage Case | 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" nutdrivers | 2.25 in | 6.25 in | 0.50 lb |
| | | | | | | |

Pro Series Electronic Screwdrivers and Sets

Xcelite[®]

| The second se | | The handle core is made of hard shockproof plastic for durability, while the outer coating is soft rubber for comfort and slip resistance |
|--|------------|--|
| Part C | | ESD safe hard plastic core to protect sensitive components |
| Som & O | "ESD" Safe | The handles are ergonomically designed, allowing sustained high torque with minimal slippage and muscle fatigue |
| Xedle (A 19) | | Smooth shatterproof seamless handle cap for minimal friction between hand and handle when screwdriver is being turned |
| | | Narrow pinch grip for comfort and control |
| 2 2 498 | | Thumb bolster allows added downward force |
| Xcellas 🛵 🕤 | | Satin finish chrome molybdenum steel shafts provide durability |
| Contract The Contr | | Specially treated black oxide tips eliminate light reflection |

| Cat. No. | UPC No. | Packaging | Description | Contents | Product Weight |
|----------|--------------|------------------------|--|---|----------------|
| XPE500 | 037103183323 | Hanging Display Box | 5 Piece ESD safe slotted/Phillips® Pro Series screwdriver set | (1) Phillips® tip Ergo handle screwdriver, #1 x 4" (1) Phillips® tip Ergo handle screwdriver, #2 x 4" (1) Slotted tip screwdriver, 1/8" x 4" (1) Slotted tip screwdriver, 3/16" x 6" (1) Slotted tip screwdriver, 1/4" x 4" | 0.87 lb |
| XPE700 | 037103153838 | Hanging Display Box | 7 Piece ESD safe slotted/Phillips® Pro Series screwdriver set | (1) Phillips® tip Ergo handle screwdriver, #1 x 4" (1) Phillips® tip Ergo handle screwdriver, #2 x 4" (1) Slotted tip screwdriver, 1/8" x 4" (1) Slotted tip screwdriver, 5/32" x 4" (1) Slotted tip screwdriver, 5/32" x 6" (1) Slotted tip screwdriver, 3/16" x 6" (1) Slotted tip screwdriver, 1/4" x 4" | 0.97 lb |

6-Piece Ergonic® Screwdriver Set

Roonic



- Ergonic® soft inner core conforms to hand as torque is applied for maximum comfort, slip resistance and 20%-30% more torque
- Precision machined tip to prevent point loading and deformation of fastener
- Smooth shatterproof seamless handle cap with easy hang-through hole design
- Narrow pinch grip for comfort and control
- Thumb bolster allows added downward force
- Durable shockproof plastic handle co-molded to blade for maximum adherence
- Durable satin finish chrome molybdenum steel shafts
- Black oxide all steel tip for maximum strength, precision fit and minimized light reflection

| Cat. No. | UPC No. | | Packaging | | Product We | eight |
|----------|----------------|------------------------|-------------|----------|-------------------------------|---------|
| XPS600 | 037103265470 | | Display Box | | 1.11 lb | |
| Cat. No. | Description | | Qty. | Cat. No. | Description | Qty. |
| XPS184 | Screwdriver, | 1/8" Slotted Ergonic® | 1 | XPS5144 | Screwdriver, 1/4" Slotted Erg | onic® 1 |
| XPS5324 | Screwdriver, | 5/32 Slotted Ergonic® | 1 | XPS1014 | Screwdriver, #1 Phillips® Erg | onic® 1 |
| XPS3164 | Screwdriver, 3 | 3/16" Slotted Ergonic® | 1 | XPS1024 | Screwdriver, #2 Phillips® Erg | onic® 1 |

XCELITE



Ergonic[®] Screwdrivers - Phillips[®]





- Ergonic® soft inner core conforms to hand as torque is applied for maximum comfort, slip resistance and 20%-30% more torque
- Precision machined tip to prevent point loading and deformation of fastener
- Smooth shatterproof seamless handle cap with easy hangthrough hole design
- Narrow pinch grip for comfort and control
- Thumb bolster allows added downward force
- Durable shockproof plastic handle co-molded to blade for maximum adherence
- Durable satin finish chrome molybdenum steel shafts
- Black oxide all steel tip for maximum strength, precision fit and minimized light reflection

| Catalog number | UPC No. | Packaging | Tip Size | Blade Length | Overall Length | Product Weight |
|----------------|--------------|-----------|----------|--------------|-----------------------|----------------|
| XPS1014 | 037103265487 | Hang Tab | #1 | 3 in | 7 in | 0.11 lb |
| XPS1024 | 037103265494 | Hang Tab | #2 | 4 in | 8 in | 0.20 lb |

Ergonic® Screwdrivers - Slotted

Roonic



- Ergonic® soft inner core conforms to hand as torque is applied for maximum comfort, slip resistance and 20%-30% more torque
- Precision machined tip to prevent point loading and deformation of fastener
- Smooth shatterproof seamless handle cap with easy hangthrough hole design
- Narrow pinch grip for comfort and control
- Thumb bolster allows added downward force
- Durable shockproof plastic handle co-molded to blade for maximum adherence
- Durable satin finish chrome molybdenum steel shafts
- Black oxide all steel tip for maximum strength, precision fit and minimized light reflection

| Catalog number | UPC No. | Packaging | Tip Size | Blade Length | Overall Length | Product Weight |
|----------------|--------------|-----------|----------|--------------|-----------------------|----------------|
| XPS184 | 037103265463 | Hang Tab | 1/8" | 4 in | 7.50 in | 0.08 lb |
| XPS5324 | 037103265371 | Hang Tab | 5/32" | 4 in | 7.75 in | 0.11 lb |
| XPS3164 | 037103265500 | Hang Tab | 3/16" | 6 in | 10.00 in | 0.17 lb |
| XPS5144 | 037103265456 | Hang Tab | 1/4" | 4 in | 8.00 in | 0.20 lb |

Xcelite[®]

XPHS1028

037103265401

8-in-1 Screwdriver

| 8 in a second seco | Telescopi 1/4" hex Includes Chrome- Durable I Thumb b | 8 Industrial grade bit molybdenum vanadiu ow glare satin finish olster for added dow | ot of 7 bits trong magnetic bit hold ts um steel blade provides shaft | s superior strength |
|--|--|---|---|---------------------|
| | | מועופ עפאקוו אפראס צ | crewariyer non rolling | |

| Catalog number | UPC No. | Packaging | Contents | Blade Length | Overall Length | Product Weight |
|----------------|--------------|-----------|---|--------------|----------------|----------------|
| XPMB8 | 037103265432 | Carded | Industrial grade bits: Phillips #1, #2, #3 Slotted 1/8", 3/16" Torx 15, 20, 25 | 3 in | 7 in | 0.11 lb |

Extra Long Screw-Holding Screwdrivers - Slotted

| | | | | | w holding flexibility arour , replacement and or tigl | | req |
|----------------|--------------|-----------|------------|--|--|---------------------------|-----|
| | | - | Xcelite | Screw-holding sensitive comport Sensitive comport | crewdrivers are ESD safe nents | e for protection to stati | С |
| | | | ALLELLE LA | Ergonomic handl | e design allows sustaine | ed high torque | |
| | | | | Smooth shatterp | roof seamless handle ca | ıp | |
| | | | | Narrow pinch gri | p for comfort and contro | bl | |
| | | | | Thumb bolster al | lows added downward fe | orce | |
| | | | | Durable shockpr | oof plastic handle core | | |
| | | | "ESD" Safe | Durable satin fin | ish chrome molybdenum | steel shafts | |
| | | | | Easy hang-throu | gh hole design | | |
| | | | | | | | |
| Catalog number | UPC No. | Packaging | Tip Size | Blade Length | Overall Length | Product Weight | |
| XPHS188 | 037103265388 | Hang Tab | 1/8" | 7 3/4 in | 11 in | 0.10 lb | |

| Catalog nu | mber | UPC No. | Packaging | Tip Size | Blade Length | Overall Length | Product Weight |
|------------|------|--------------|-----------|----------|--------------|----------------|----------------|
| XPHS188 | | 037103265388 | Hang Tab | 1/8" | 7 3/4 in | 11 in | 0.10 lb |
| XPHS5328 | | 037103265425 | Hang Tab | 5/32" | 7 3/4 in | 11 1/4 in | 0.14 lb |
| XPHS3168 | | 037103265418 | Hang Tab | 3/16" | 7 3/4 in | 11 1/4 in | 0.22 lb |

Extra Long Screw-Holding Screwdriver - Phillips®

Hang Tab

| | | | Yesb' Safe | screw extraction Screw-holding s sensitive compo Ergonomic hand Smooth shatterp Narrow pinch gri Thumb bolster a Durable shockpr | le design allows sustaine roof seamless handle ca ip for comfort and contro llows added downward fo oof plastic handle core ish chrome molybdenum | ntening e for protection to statio d high torque p l orce |
|----------------|--------------|-----------|------------|---|--|--|
| Catalog number | UPC No. | Packaging | Tip Size | Blade Length | Overall Length | Product Weight |
| XPHS1018 | 037103265395 | Hang Tab | #1 | 7 3/4 in | 11 in | 0.17 lb |

#2

7 3/4 in

0.25 lb

11 1/4 in

Pocket Clip Style - Round Blade

| | nadium steel | | | | | | | | |
|----------------|--------------|--------|-----------------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|-----------------------|
| Catalog Number | UPC Number | Packed | Handle color | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Screwdriver length |
| R3322 | 037103485656 | Boxed | Green | 3/32 | 2 | 51 | 4 1/4 | 108 | 12 |
| R3322V | 037103485663 | Carded | Green | 3/32 | 2 | 51 | 4 1/4 | 108 | 12 |
| R3323 | 037103485670 | Boxed | Green | 3/32 | 3 | 76 | 5 1/4 | 133 | 12 |
| R3323V | 037103488725 | Carded | Green | 3/32 | 3 | 76 | 5 1/4 | 133 | 6 |
| R3324 | 037103485687 | Boxed | Green | 3/32 | 4 | 102 | 6 1/4 | 159 | 12 |
| R3324V | 037103488732 | Carded | Green | 3/32 | 4 | 102 | 6 1/4 | 159 | 6 |
| R181 | 037103485458 | Boxed | Red | 1/8 | 2 | 51 | 4 1/4 | 108 | 12 |
| R181V | 037103485465 | Carded | Red | 1/8 | 2 | 51 | 4 1/4 | 108 | 12 |
| R183 | 037103485489 | Boxed | Red | 1/8 | 3 | 76 | 5 1/4 | 133 | 6 |
| R183V | 037103488688 | Carded | Red | 1/8 | 3 | 76 | 5 1/4 | 133 | 6 |

1984 Xeams

Regular - Round Blade

Xcelite[®]



R3166

| Catalog Number | UPC Number | Packed | Blade diameter (inch) | Blade length (inch) | Blade length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|-----------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| R182 | 037103485472 | Boxed | 1/8 | 2 | 51 | 4 5/8 | 117 | 6 |
| R182V | 037103488671 | Carded | 1/8 | 2 | 51 | 4 5/8 | 117 | 6 |
| R183 | 037103485489 | Boxed | 1/8 | 3 | 76 | 5 1/4 | 133 | 6 |
| R183V | 037103488688 | Carded | 1/8 | 3 | 76 | 5 1/4 | 133 | 6 |
| R184 | 037103485496 | Boxed | 1/8 | 4 | 102 | 6 5/8 | 168 | 6 |
| R184V | 037103485502 | Carded | 1/8 | 4 | 102 | 6 5/8 | 168 | 6 |
| R186 | 037103485519 | Boxed | 1/8 | 6 | 152 | 8 5/ 8 | 219 | 6 |
| R186V | 037103485526 | Carded | 1/8 | 6 | 152 | 8 5/8 | 219 | 6 |
| R188 | 037103485533 | Boxed | 1/8 | 8 | 203 | 10 5/8 | 270 | 6 |
| R188V | 037103485540 | Carded | 1/8 | 8 | 203 | 10 5/8 | 270 | 6 |
| R1810 | 037103485571 | Boxed | 1/8 | 10 | 254 | 12 5/8 | 321 | 6 |
| R5323 | 037103485731 | Boxed | 5/32 | 3 | 76 | 5 5/8 | 143 | 6 |
| R5324 | 037103485748 | Boxed | 5/32 | 4 | 102 | 6 5/8 | 168 | 6 |
| R5325 | 037103485755 | Boxed | 5/32 | 5 | 127 | 7 5/8 | 194 | 6 |
| R3163 | 037103485588 | Boxed | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| R3164 | 037103485601 | Boxed | 3/16 | 4 | 102 | 7 5/8 | 194 | 6 |
| R3164V | 037103485618 | Carded | 3/16 | 4 | 102 | 7 5/8 | 194 | 6 |
| R3166 | 037103485625 | Boxed | 3/16 | 6 | 152 | 9 5/8 | 244 | 6 |
| R3166V | 037103485632 | Carded | 3/16 | 6 | 152 | 9 5/8 | 244 | 6 |
| R3168 | 037103485649 | Boxed | 3/16 | 8 | 203 | 11 5/8 | 295 | 6 |
| R31610 | 037103485786 | Boxed | 3/16 | 10 | 254 | 13 5/8 | 346 | 6 |
| R144 | 037103485403 | Boxed | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| R144V | 037103485410 | Carded | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| R146 | 037103485427 | Boxed | 1/4 | 6 | 152 | 10 1/8 | 257 | 6 |
| R146V | 037103485434 | Carded | 1/4 | 6 | 152 | 10 1/8 | 257 | 6 |
| R148 | 037103485441 | Boxed | 1/4 | 8 | 203 | 12 1/8 | 308 | 6 |
| R1410 | 037103485564 | Boxed | 1/4 | 10 | 254 | 14 1/8 | 359 | 6 |
| R5164 | 037103485694 | Boxed | 5/16 | 4 | 102 | 8 1/2 | 216 | 6 |
| R5166 | 037103485700 | Boxed | 5/16 | 6 | 152 | 10 1/2 | 267 | 6 |
| R5168 | 037103485724 | Boxed | 5/16 | 8 | 203 | 12 1/2 | 317 | 6 |
| R388 | 037103485557 | Boxed | 3/8 | 8 | 203 | 12 1/2 | 317 | 6 |

R144




Round Blade Screwdriver Set



Xcelite[®] Catalog No. SDR11 consists of 5 round blade screwdrivers for slotted screws (R182, R5324, R3166, R144 and R5166)

| Catalog number | UPC No. | Packed | Description | Shelf pack | |
|----------------|--------------|--------|---|---------------|--|
| SDR11 | 037103486103 | Pouch | 5 round blade screwdrivers for slotted screws | 1 | |

Stubby - Square Blade



1 1/4

1/4

Boxed

Regular - Square Blade

S141



037103485854

Regular square blade screwdrivers

32

Blades made of AISI 6150 chrome vanadium steel, plated for protection

3 1/4

83

6

| Catalog Number | UPC Number | Packed | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|---------------|
| S3163 | 037103485939 | Boxed | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| S3164 | 037103485953 | Boxed | 3/16 | 4 | 702 | 7 5/8 | 194 | 6 |
| S3166 | 037103485977 | Boxed | 3/16 | 6 | 152 | 9 5/8 | 244 | 6 |
| S144 | 037103485861 | Boxed | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| S146 | 037103485885 | Boxed | 1/4 | 6 | 152 | 10 1/8 | 257 | 6 |
| S5164 | 037103486028 | Boxed | 5/16 | 4 | 102 | 8 1/2 | 216 | 6 |
| S5166 | 037103486035 | Boxed | 5/16 | 6 | 152 | 10 1/2 | 216 | 6 |
| S5168 | 037103486059 | Boxed | 5/16 | 8 | 203 | 12 1/2 | 317 | 6 |
| S388 | 037103485915 | Boxed | 3/8 | 8 | 203 | 12 1/2 | 317 | 6 |
| S3812 | 037103486004 | Boxed | 3/8 | 12 | 305 | 18 | 457 | 6 |

Square Blade Screwdriver Set



Xcelite® Catalog No. SDS44 consists of 5 square blade screwdrivers for slotted screws (S141, S3164, S144, S5166 and S388)

| Catalog number | UPC No. | Packed | Description | Shelf pack |
|----------------|--------------|--------|--|---------------|
| SDS44 | 037103486110 | Pouch | 5 square blade screwdrivers for slotted screws | 1 |

Screwdrivers for Recess Head Screws



| Screwo | lriver | for | recess | head | screws |
|--------|--------|-----|--------|------|--------|
| | | | | | |

- Pocket clip style Phillips[®] type
- No. 0 x 2"

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Blade length (inch) | Blade length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| P12S | 037103484857 | Boxed | 0 | 1/8 | 2 | 51 | 4 1/4 | 108 | 12 |
| P12SV | 037103486905 | Carded | 0 | 1/8 | 2 | 51 | 4 1/4 | 108 | 12 |

Stubby - Phillips® Type



- Stubby round blade screwdriver for Phillips[®] screws
- Blades made of AISI 6150 chrome vanadium steel, plated for protection

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Blade length (inch) | Blade length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack | |
|----------------|--------------|--------|---------------|-----------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|---|
| SX101 | 037103486226 | Boxed | 1 | 3/16 | 1 1/4 | 32 | 3 1/4 | 83 | 6 | 1 |
| SX102 | 037103486233 | Boxed | 2 | 1/4 | 1 5/16 | 33 | 3 3/8 | 86 | 6 | |

Screwdriver - Scrulox Type



Round blade for Scrulox fasteners

Shanks plated for protection

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Blade length (inch) | Blade length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| SL2V | 037103488022 | Carded | #2 | 19/64 | 7 5/8 | 194 | 3 1/2 | 89 | 6 |



Regular – Phillips® Type



Regular Phillips[®] type screwdrivers

Blades made of AISI 6150 chrome vanadium steel, plated for protection

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|---------------|
| X100 | 037103486370 | Boxed | 0 | 1/8 | 2 | 50 | 4 5/8 | 117 | 6 |
| X101 | 037103486394 | Boxed | 1 | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| X101V | 037103486400 | Carded | 1 | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| X108 | 037103486462 | Boxed | 1 | 3/16 | 6 | 152 | 9 5/8 | 244 | 6 |
| X108V | 037103486479 | Carded | 1 | 3/16 | 6 | 152 | 9 5/8 | 244 | 6 |
| X102 | 037103486417 | Boxed | 2 | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| X102V | 037103486424 | Carded | 2 | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| X103 | 037103486431 | Boxed | 3 | 5/16 | 6 | 152 | 10 1/2 | 267 | 6 |

Extra long – Phillips® Type

Extra long Phillips® type screwdrivers

Blades made of AISI 6150 chrome vanadium steel, plated for protection

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Blade length (inch) | Blade length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| X1010 | 037103486486 | Boxed | 1 | 3/16 | 10 | 254 | 13 5/8 | 346 | 6 |
| X1020 | 037103486493 | Boxed | 2 | 1/4 | 10 | 254 | 14 1/8 | 359 | 6 |


Super-Tru Tip – Phillips® Type



- Super-tru tip for longer wear life and reduction of damage to screw head recesses, especially in smaller size fasteners
- Specially treated and finished tips with black oxide for ultimate control
- Bright, nickel chrome-plated blades

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|---------------|
| XST100 | 037103486738 | Boxed | 0 | 1/8 | 2 | 50 | 4 5/8 | 117 | 6 |
| XST100V | 037103486745 | Carded | 0 | 1/8 | 2 | 50 | 4 5/8 | 117 | 6 |
| XST101 | 037103486752 | Boxed | 1 | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| XST101V | 037103486769 | Carded | 1 | 3/16 | 3 | 76 | 6 5/8 | 168 | 6 |
| XST102 | 037103486776 | Boxed | 2 | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| XST102V | 037103486783 | Carded | 2 | 1/4 | 4 | 102 | 8 1/8 | 206 | 6 |
| XST1010 | 037103486790 | Boxed | 1 | 3/16 | 10 | 254 | 13 5/8 | 371 | 6 |
| XST1020 | 037103486806 | Boxed | 2 | 1/4 | 10 | 254 | 14 1/8 | 371 | 6 |

Screwdrivers for Torx® Head Screws



Driver Sets

Xcelite[®]



XST3

XST5

SRX33

- SDX22 contains Phillips[®] Xcelite[®] Catalog No. X100, X101, X102, X103, SX102
- 191 contains Xcelite® Catalog No. 5MM, 55MM, 6MM,
- 7MM, 8MM, 9MM and 10MM
- **XST3** contains Super-tru tip Phillips[®] Xcelite[®] Catalog No. XST100, XST101, XST102
- **XST5** contains Super-tru Phillips[®] Xcelite[®] Catalog No. XST100, XST101, XST102, XST1010 and XST1020
- **SD3V** contains pocket clip screwdrivers R181 and R3322 for slotted screws and P12S for Phillips® head screws
- SRX33 contains blades for slotted screws Xcelite[®] Catalog No. R184, R3166, R144, R5166 and Phillips® Xcelite® Catalog No. X101 and X102

| Catalog number | UPC No. | Packed | Description | Shelf Pack |
|----------------|--------------|--------|--|------------|
| SDX22 | 037103486127 | Pouch | 5 pieces – all Phillips® | 1 |
| XST3 | 037103487353 | Pouch | 3 pieces – all Super-tru tip Phillips® type | 1 |
| XST5 | 037103487360 | Pouch | 5 pieces – all Super-tru tip Phillips® type | 1 |
| SD3V | 037103486097 | Carded | 3 pocket clip screwdrivers for Phillips® head screws | 1 |
| SRX33 | 037103486219 | Pouch | 6 pieces – 4 round blade for slotted screws and 2 $Phillips^{\circledast}$ types | 1 |



Allen® Hex Socket Type Screwdrivers - Inch Sizes



- Allen[®] hex socket type screwdrivers
- Screwdriver for recessed socket head screws
- Inch sizes

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|---------------|
| LN20 | 037103484468 | Boxed | .050 | 4 | 102 | 6 5/8 | 168 | 6 | 6 |
| LN21 | 037103484475 | Boxed | 1/16 | 4 | 102 | 6 5/8 | 168 | 6 | 6 |
| LN21V | 037103488275 | Carded | 1/16 | 4 | 102 | 6 5/8 | 168 | 6 | 6 |
| LN22 | 037103484482 | Boxed | 5/64 | 4 | 102 | 6 5/8 | 168 | 6 | 6 |
| LN22V | 037103488282 | Carded | 5/64 | 4 | 102 | 6 5/8 | 168 | 6 | 6 |
| LN23 | 037103484499 | Boxed | 3/32 | 4 | 102 | 7 1/8 | 190 | 6 | 6 |
| LN23V | 037103488299 | Carded | 3/32 | 4 | 102 | 7 1/8 | 190 | 6 | |
| LN764 | 037103484550 | Boxed | 7/64 | 4 | 102 | 7 1/8 | 190 | 6 | 6 |
| LN964 | 037103484567 | Boxed | 9/64 | 4 | 102 | 7 1/8 | 190 | 6 | 6 |
| LN25 | 037103484512 | Boxed | 5/32 | 6 | 152 | 9 1/8 | 232 | 6 | 6 |

Allen® Hex Socket Type Screwdrivers - Metric Sizes



- Allen[®] hex socket type screwdrivers
- Screwdriver for recessed socket head screws
- Metric sizes

| Catalog Number | UPC Number | Packed | Point size | Blade diameter (inch) | Length (inch) | Length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|------------------|----------------|---------------------------------|-------------------------------|---------------|
| LN15MM | 037103484277 | Boxed | 1.5 | - | 102 | - | 168 | 6 | 6 |
| LN2MM | 037103484284 | Boxed | 2 | - | 102 | - | 168 | 6 | 6 |
| LN25MM | 037103484291 | Boxed | 2.5 | - | 102 | - | 181 | 6 | 6 |
| LN3MM | 037103484307 | Boxed | 3 | - | 102 | - | 181 | 6 | 6 |
| LN4MM | 037103484314 | Boxed | 4 | - | 102 | - | 181 | 6 | 6 |

Xcelite[®]

Roll-up Kits for Allen® Hex Socket Type



- Complete set of LN series Allen[®] hex socket type and metric size screwdrivers
- Roll-up canvas case, plastic-coated for wear and protection

| Catalog number | UPC No. | Packed | Description | Shelf pack |
|----------------|--------------|-------------|---|------------|
| LN11 | 037103484451 | Canvas case | Complete set of LN series Allen $^{\circ}$ hex type screwdrivers, 0.050" - 1/4" | 1 |
| LN8MM | 037103484345 | Canvas case | Complete set of 8 drivers w/black handles in metric sizes, 1.27mm thru 6mm | 1 |

Ballpoint Style, Allen® Hex Socket Type

- Unique "ballpoint" tip makes Xcelite[®] drivers ideal for tightening and removing Allen type socket head screws in out-of-reach places or merely when wanting an easier, quicker way to drive them home
- Will engage screw head from any angle
- Slips easily into sockets and holds securely without reaming, because ends are precision-machined to close tolerance

Ballpoint Style, Allen® Hex Socket Type - Inch Sizes



- For easier tightening and removing of Allen[®] type socket head screws
 Ballpoint tip
- Blade Screwdriver Screwdriver Length Point diameter Length Shelf length length **Catalog Number UPC Number** Packed size (inch) (inch) (mm) (inch) (mm) pack LN20BP 037103484574 Boxed .050 4 102 6 5/8 168 6 6 LN21BP 037103484581 Boxed 1/16 102 6 5/8 168 6 6 4 LN22BP 037103484598 6 6 Boxed 5/64 4 102 6 5/8 168 LN23BP 037103484604 3/32 6 6 Boxed 4 102 7 1/8 181 LN764BP 037103484666 Boxed 7/64 4 102 7 1/8 181 6 LN964BP 037103484673 102 6 6 Boxed 9/64 4 7 1/8 181 LN25BP 037103484628 102 6 5/32 7 1/8 181 6 Boxed 4 LN28BP 037103484659 Boxed 1/4 4 102 8 1/8 206 6 6



Roll-up Kits for Ballpoint Style Allen® Hex Socket Type

| | Xcelite | | Ballpoint, Allen[®] hex socket type screwdrivers Roll-up canvas case Inch sizes | |
|----------------|--------------|-------------|--|------------|
| Catalog number | UPC No. | Packed | Description | Shelf pack |
| LN9BP | 037103484444 | Canvas case | Inch sizes – 9 ballpoint, Allen® hex socket type screwdrivers, 0.050" - 3/16" | 1 |

Combination Reversible Screwdrivers and Kits

Economical multi-purpose tool sets and kits consisting of either a regular or stubby handle combined with one or more of reversible, interchangeable combination blades

Blades and handle may be purchased separately

Blades snap in and out easily and are held firmly in perfect alignment by patented spring lock

No. 25 Handle

| | 25 X ce <u>l</u> it | C | Color of handle: AmberUse with reversible blades | 3 | | |
|----------------|---------------------|--------|---|-----------------|---------------|------------|
| Catalog number | UPC No. | Packed | Description | Shelf (inch) | Shelf (mm) | Shelf pack |
| 25 | 037103481337 | Boxed | Screwdriver handle | 1 1/8 x 4 1/8 | 29 x 105 | 6 |

Reversible Blades (Use with Number 25 Handle)



Snaps in and out easily and held firmly in perfect alignment by patented spring lock

| °C Number | Packed | Blade diameter (inch) | Blade diameter (inch) | Description | Blade length (inch) | Blade length (mm) | Shelf pack |
|-----------|--------|-----------------------------|-----------------------------|---|---------------------------|-------------------------|---------------|
| 103485793 | Boxed | 3/16 | 5 | No. 1 Phillips $^{\circ}$ – 3/16" slotted | 6 5/8 | 6 | 6 |
| 103485793 | Boxed | 1/4 | 6 | No. 2 Phillips® – 1/4" slotted | 6 5/8 | 6 | 6 |

Combination Reversible Blades and Handles



- Contains 1 reversible, interchangeable, combination blade
- Regular handle

| Catalog number | UPC No. | Packed | Screwdriver length description | Shelf (inch) | Shelf (mm) | Shelf pack |
|----------------|--------------|--------|-----------------------------------|-----------------|---------------|---------------|
| CR1 | 037103483904 | Boxed | No. 25 handle & RB1 blade | 7 1/4 | 184.15 | 6 |
| CR1V | 037103483911 | Carded | No. 25 handle & RB1 blade | 7 1/4 | 184.15 | 6 |
| CR2 | 037103483928 | Boxed | No. 25 handle & RB2 blade | 7 1/4 | 184.15 | 6 |
| CR2V | 037103483935 | Carded | No. 25 handle & RB2 blade | 7 1/4 | 184.15 | 6 |

Plastic View Kit

Xcelite[®]



- **CK20** Zipper case with RB1 and RB2 blades and No. 25 handle
- **CK23** Zipper case with RB1, RB2 and RB3 blades and No. 25 handle

CK23

| Catalog Number | UPC Number | Description | Shelf pack |
|----------------|--------------|--|---------------|
| CK20 | 037103483881 | Zipper case with RB1, RB2 blades and No. 25 handle | 6 |
| CK23 | 037103483898 | Zipper case with RB1, RB2 and RB3 blades and No. 25 handle | 6 |



Pocket Roll Kit



4-way Pocket Tool



- Extremely versatile time-saver
- Handy for removing backs of TV sets and installing antennas
- Special reversible SB1 blade fits slotted (3/16") or Phillips[®] No. 1 head screws
- Double-ended handle serves as 2 sizes of nutdrivers (7/16" and 1/4")

| Catalog number | UPC No. | Packed | Screwdriver length description | Shelf pack |
|----------------|--------------|--------|-----------------------------------|---------------|
| 600 | 037103483690 | Boxed | 4-way pocket tool | 6 |
| 600V | 037103483706 | Carded | 4-way pocket tool | 6 |

Four-in-One Screwdriver



- Extra handy
- Two blades also interchangeable with Two-In-One
- Self-storing standard shaft
- Converts in seconds to 4 most often needed tips (3/16" and 1/4" slotted tips and Xcelite[®] Catalog No. 1 and 2 Phillips[®])

| Catalog number | UPC No. | Packed | Screwdriver length description | Shelf pack |
|----------------|--------------|--------|-----------------------------------|---------------|
| FSD1 | 037103487537 | Boxed | Four-in-One screwdriver complete | 6 |
| FSD1V | 037103487605 | Carded | Four-in-One screwdriver complete | 6 |

Two-in-One Screwdriver



■ 3/16" slotted tip end and Xcelite[®] Catalog No. 1 Phillips[®] Stubby handle

| Catalog number | UPC No. | Packed | Screwdriver length description | Shelf pack |
|----------------|--------------|--------|-----------------------------------|---------------|
| TSD1V | 037103487612 | Carded | Two-in-one screwdriver complete | 6 |

Nutdrivers - Fixed Handle

Features steel shafts

Precision-machined, cold-drawn, case-hardened sockets with bright finish

Molded firm grip

Plastic handles are color-coded for easy size identification

Xcelite® offers a variety of nutdriver blades that fit interchangeably in special handles

Regular Nutdrivers - Fixed Handle - Drilled Shaft



- Precision-machined, cold-drawn, case-hardened socket with bright finish
- Regular, plastic color-coded handles for ease in size identification
- Molded firm grip

| Catalog number | UPC No. | Packaging | Handle Color | Fastener Size | Nut End Depth | Blade Length | Overall Length | Product Weight |
|----------------|--------------|-----------|--------------|---------------|---------------|--------------|-------------------|-------------------|
| 6 | 037103481054 | Boxed | Black | 3/16 in | 1-1/8 in | 3 in | 6-1/8 in | 0.07 lb |
| 8 | 037103481108 | Boxed | Red | 1/4 in | 1-1/8 in | 3 in | 6-1/8 in | 0.07 lb |
| 10 | 037103481177 | Boxed | Amber | 5/16 in | 1-1/8 in | 3 in | 6-1/8 in | 0.07 lb |
| 10V | 037103481214 | Carded | Amber | 5/16 in | 1-1/8 in | 3 in | 6-1/8 in | 0.20 lb |
| 11 | 037103481221 | Boxed | Green | 11/32 in | 1-1/8 in | 3 in | 6-1/8 in | 0.07 lb |
| 12 | 037103481252 | Boxed | Blue | 3/8 in | 1-1/8 in | 3 in | 6-1/8 in | 0.07 lb |
| 14 | 037103481290 | Boxed | Brown | 7/16 in | 1-7/8 in | 2-7/8 in | 7 in | 0.11 lb |



Regular Nutdrivers - Full Hollow Shaft - Inch Sizes



- Precision-machined, cold-drawn, case-hardened socket with bright finish
- Molded firm grip

| Catalog Number | UPC Number | Packed | Color code | Blade diameter (inch) | Depth of hole (mm) | Blade length (inch) | Blade length (mm) | Screwdriver length (incg) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|--------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| HS6 | 037103484031 | Boxed | Black | 3/16 | 6" | 3 1/8 | 79 | 6 1/4 | 159 | 6 |
| HS7 | 037103484055 | Boxed | Brown | 7/32 | 6" | 3 1/8 | 79 | 6 1/4 | 159 | 6 |
| HS8 | 037103484062 | Boxed | Red | 1/4 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS8V | 037103484079 | Carded | Red | 1/4 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS9 | 037103484086 | Boxed | Orange | 9/32 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS9V | 037103488657 | Carded | Orange | 9/32 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS10 | 037103484093 | Boxed | Amber | 5/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS10V | 037103484109 | Carded | Amber | 5/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS11 | 037103484116 | Boxed | Green | 11/32 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS11V | 037103484123 | Carded | Green | 11/32 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS12 | 037103484130 | Boxed | Blue | 3/8 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS12V | 037103484147 | Carded | Blue | 3/8 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS14 | 037103484154 | Boxed | Brown | 7/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS14V | 037103484161 | Carded | Brown | 7/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS16 | 037103484178 | Boxed | Red | 1/2 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS16V | 037103484185 | Carded | Red | 1/2 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS18 | 037103484192 | Boxed | Orange | 9/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |
| HS18V | 037103484208 | Carded | Orange | 9/16 | 7" | 3 1/8 | 79 | 7 1/4 | 184 | 6 |

Extra Long Nutdrivers - Full Hollow Shaft - Inch Sizes

Trailine.

Color Coded Handles

Precision-machined, cold-drawn, case-hardened socket with bright finish
 Molded firm grip

Blade Depth Blade Blade Screwdriver Screwdriver of hole Color diameter length length length length Shelf **Catalog Number UPC Number** Packed code (inch) (mm) (inch) (mm) (incg) (mm) pack L8 037103483720 Boxed Red 1/4 9 3/4" 6 152 10 1/8 257 6 L10 037103483768 9 3/4" 152 10 1/8 257 6 Boxed Amber 5/16 6 L11 037103483805 Boxed Green 11/32 9 3/4" 6 152 10 1/8 257 6 L12 037103483829 Blue 3/8 9 3/4" 6 152 10 1/8 257 6 Boxed

Xcelite[®]

Magnetic Nutdrivers



- Ultimate in convenience for assembly and service operations involving hex fasteners
- Alnico permanent magnet inserted in socket holds fasteners firmly for easy, one-hand driving or for retrieving or removal
- Socket specially treated and hardened for use with self-tapping screws
- Unique Xcelite[®] development effectively insulates magnet Exclusive with Xcelite[®] 1/4" and 5/16" magnetic fixed handle
- Comfortable contoured handle provides adequate torque for 1-hand driving

| Catalog Number | UPC Number | Packed | Color code | Blade diameter (inch) | Depth of hole (mm) | Blade length (inch) | Blade length (mm) | Screwdriver length (incg) | Screwdriver length (mm) | Shelf pack |
|----------------|--------------|--------|---------------|-----------------------------|--------------------------|---------------------------|-------------------------|---------------------------------|-------------------------------|---------------|
| 8M | 037103481115 | Boxed | Red | 1/4 | - | 3 | 76 | 6 1/8 | 156 | 6 |
| 10M | 037103481184 | Boxed | Amber | 5/16 | - | 3 | 76 | 6 1/8 | 156 | 6 |
| L8M | 037103483737 | Boxed | Red | 1/4 | - | 6 | 152 | 10 1/8 | 257 | 6 |
| L8MV | 037103483744 | Carded | Red | 1/4 | - | 6 | 152 | 10 1/8 | 257 | 6 |
| L10M | 037103483775 | Boxed | Amber | 5/16 | - | 6 | 152 | 10 1/8 | 257 | 6 |
| L10MV | 037103483782 | Carded | Amber | 5/16 | - | 6 | 152 | 10 1/8 | 257 | 6 |

Metric Nutdrivers

Manufactured precisely to metric dimension Particularly useful in the assembly and servicing of foreign equipment Bright finished blades, shafts and shanks (same as English version)

Regular Nutdrivers - Drilled Shaft - Metric Sizes



- Particularly useful in assembly and servicing of foreign equipment
- Bright finished blades, shafts and shanks
- Manufactured precisely to metric dimension

| Catalog Number | UPC Number | Packed | Blade diameter (mm) | Depth of hole (mm) | Blade length (mm) | Tool length (mm) | Thread diameter cap screws hex head (mm) | Hex nuts (mm) | Shelf pack |
|----------------|--------------|--------|---------------------------|--------------------------|-------------------------|------------------------|--|---------------------|---------------|
| 4MM | 037103481009 | Boxed | 4 | 29 | 76 | 156 | - | 2 | 6 |
| 5MM | 037103481030 | Boxed | 5 | 29 | 76 | 156 | 2.6 | 2.6 | 6 |
| 55MM | 037103481047 | Boxed | 5.5 | 29 | 76 | 156 | 3 | 3 | 6 |
| 7MM | 037103481092 | Boxed | 7 | 29 | 76 | 156 | 4 | 4 | 6 |
| 8MM | 037103481122 | Boxed | 8 | 29 | 76 | 156 | 5 | 5 | 6 |
| 10MM | 037103481191 | Boxed | 10 | 48 | 73 | 178 | 6 | 6 | 6 |



Nutdrivers, Full - Hollow Shaft



- Particularly useful in assembly and servicing of foreign equipment
- Bright finished blades, shafts and shanks
- Manufactured precisely to metric dimension

| Catalog Number | UPC Number | Packed | Color code | Blade diameter (inch) | Depth of hole (mm) | Blade length (inch) | Blade length (mm) | Nutdriver length (incg) | Nutdriver length (mm) | Shelf pack | |
|----------------|--------------|--------|---------------|-----------------------------|--------------------------|---------------------------|-------------------------|-------------------------------|-----------------------------|---------------|---|
| 13MM | 037103481283 | Boxed | Black | 13 | 178 | - | 79 | - | 184 | 6 | 1 |

Color Coded Nutdriver Sets - "Tray Bien"



- Contains assortment of nutdrivers listed in chart
- Convenient blow molded case

| Catalog number | UPC No. | Description | Shelf pack |
|----------------|--------------|---|---------------|
| 127TB | 037103483621 | Contains solid shaft No's. 6, 7, 8, 9, 10, 11 and 12 | 1 |
| 147TB | 037103483638 | Contains hollow shaft No's. HS8, HS9, HS10, HS11, HS12, HS14, and HS16 $$ | 1 |

Nutdriver Set



- Contains assortment of nutdrivers listed in chart
- Plastic pouch

| Catalog number | UPC No. | Description | Shelf pack |
|----------------|--------------|--|---------------|
| 157 | 037103483652 | Contains 7 pieces, all regular drilled shaft No's. 6, 8, 10, 11, 12, 14 and 16 | 1 |
| 177 | 037103483669 | Contains 7 pieces, all hollow shaft No's. HS6, HS8, HS10, HS11, HS12, HS14 and HS16 $$ | 1 |

Nutdriver Kit - "Keep and Carry" Case

Xcelite[®]

| | | Contains assortment of nutdrivers listed in chart Sturdy yellow plastic case for inch sizes, and red case for metric sizes, keeps nutdrivers orderly on work bench and carries them on service calls | |
|----------------|--------------|--|---------------|
| Catalog number | UPC No. | Description | Shelf pack |
| HS618 | 037103484215 | Inch sizes - Contains hollow shaft No's. HS6, HS7, HS8, HS9, HS10, HS11, HS12, HS14, HS16, and HS18 | 1 |
| 413MM | 037103481023 | Metric sizes - 10 piece set of nutdrivers: 4MM through 8MM, 10MM, 11MM, 13MM | |

Compact Convertible Tool Sets

Compact convertible tool sets complete more jobs with fewer tools, save bench space and lighten service kits

Each set is equipped with a remarkable black, "piggyback" torque amplifier handle (Xcelite® Catalog No. TA2) that slips over the top of color-coded midget drivers to provide larger gripping surface, extended reach and ncreased driving power

Sets housed in attractive, easy to open, clear plastic cases

All individual screwdrivers and nutdrivers are available separately

PS88 Screwdriver Set - Inch Sizes



- Handles more jobs with fewer tools, saves bench space and lightens service kit
- Equipped with remarkable black, "piggyback" torque amplifier handle
- Set housed in attractive, easy to open, clear plastic case
- Color-coded handles; 9 pieces

All have 31.35mm depth shaft hole

| Catalog Number | UPC Number | Packed | Handle color | Blade length (inch) | Depth length (mm) | Screwdriver length (inch) | Screwdriver length (mm) | Shelf pack) |
|----------------|--------------|--------|---------------------|----------------------------|-------------------------|---------------------------------|-------------------------------|----------------|
| PS88 | 037103485236 | Boxed | Complete set | - | - | 3 | - | - |
| PS88V | 037103485243 | Carded | Complete set carded | - | - | 3 | - | - |
| P3321 | 037103485052 | - | Green | 3/32 | - | 3 1/2 | 89 | 12 |
| P1 | 037103484727 | - | Brown | 1 Phillips | - | 3 1/2 | 89 | 12 |
| TA2 | 037103486240 | - | Black | Torque amplifier handle | - | - | - | 6 |