

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Snap-On Connector Interface Adapters

APPLICATIONS:

Tempo's precision Snap-On Connector (SOC) adapters ensure maximum accuracy and repeatability when performing critical measurements on fiber optic systems. Machined from the highest quality materials available, SOC adapters are standard equipment on all Tempo optical power meters, and those of other manufacturers.

A comprehensive range of SOC adapters is available for all industry standard fiber optic connectors and many less common types.



FEATURES

- · Single-mode and multimode compatible
- High quality and tight tolerances ensure measurement accuracy and repeatability
- Available for all industry standard connectors and other less common types
- · Push-on/pull-off design
- Easy to clean and use

10ZP


 Compatible with both physical contact (PC) and 8° angled physical contact (APC) interfaces

13AF



10TB

10MU



13A2

Snap-On Connector Interface Adapters

SOC SELECTION TABLE

Connector Type	For all PC Polish (0°) and
	APC Polish (8°) applications
Blank	1001
D4	1089
DIN 47256	1010
Diamond HMS-0 (3.5mm)	1050
Diamond HMS-10A (SMA 2.5)	1086
E2000	10E2
FC	1020
HP HMS-10 (2.5mm)	1040
H-P Versalink/Spectran V/Z-pin	10ZP
LC	10LC
MIL-T-29504 Optical Termini	1038
Mini-BNC	1047
MT-RJ duplex fiber	13A2
MT-RJ ferrule	13AF
MU	10MU
POF, MOST	10M1
Radiall EC	10E0
Radiall VFO	1081
SC	1062
Simplex TOSLINK/Spectran J-pin	10TB
SMA 905/906	1087
ST	1030
Stratos 430/Holtek 38000	1057
TR/TX set, duplex TOSLINK/Spectran J-pin	10TD (10TR and 10TX)
Universal 1.25mm* ***	1026
Universal 2.5mm* **	1025

URDERI	NG INFORMATION
Part No.	Description
1001	Blank
1010	DIN 47256 and AVIM/AVIO
1020	NTT/FC (All key widths)
1025	"Quick Connect" (2.5mm ferrule)
1026	"Quick Connect" (1.25mm ferrule)
1030	AT&T/ST-PC
1038	MIL-T-29504 Optical Termini
1040	HMS-10 (2.5mm)
1047	Mini-BNC
1050	Diamond HMS-0 (3.5mm)
1057	Stratos 430/Holtek 38000
1062	NTT/SC-PC
1081	Radiall VFO
1086	Diamond HMS-10A (SMA-2.5mm)
1087	SMA-905/906
1089	D4
10E0	Radiall
10E2	Diamond E-2000
10LC	LC
10M1	POF, MOST
10MU	MU
10TB	Simplex TOSLINK/Spectran J-pin
10TD	Duplex TOSLINK TR/TX set
10TR	Duplex TOSLINK TX Adapter
10TX	Duplex TOSLINK TR Adapter
10ZP	H-P Versatile Link/Spectran V/Z-pin
13A2	MT-RJ
13AF	MT-RJ ferrule only
l .	

