



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Ethernet cable, M12 to RJ45

P/N: T128390ACC

Copyright

© 2015, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: T128390ACC

Release:

Commit: 29700

Language: en-US

Modified: 2015-10-16

Formatted: 2015-10-20

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



General description	
Ethernet cable, M12 to RJ45, X-coded.	

Physical data	
Weight	0.089 kg (0.20 lb.)
Cable length	2 m (6.6 ft.)
Connector	M12 to RJ45
Color	Black



Shipping information	
List of contents	• Cable
Packaging, weight	0.14 kg (0.31 lb.)
Packaging, size	202 × 146 × 25 mm (8.0 × 5.7 × 1.0 in.)
EAN-13	4743254001794
UPC-12	845188009946
Country of origin	Estonia

Compatible with the following products

- 71201-0101; FLIR AX8 9 Hz



REV.	DESCRIPTION	DATE
A	ISSUE	Dec/23/2013
B	Modify the wire diagram.	Dec/25/2013
C	Modify M12 Pin Assignment.	Dec/25/2013
D	Modify cable length.	Dec/25/2013
D1	Correct key direction.	Jan/22/2014
E	Add note.	Mar/30/2014
F	Modify P/N.	Sep/25/2014



6	PLUG	RJ45 8P8C PLUG.		1	78018P8C30A				
5	WIRE	CAT5E FTP 24AWG x 4 PAIR + AL/MY + Drain wire, OD:6.0mm.	BLACK	1	WAC2B0026				
4	NUT	Brass, Nickel Plated.		1	M12F-RN		UNIT: mm	TITLE M12 X-Coding Female Molded Cable Ass'y	
3	O-RING	Viton.	BLACK	1	M12-O-VK	SCALE	1:1		
2	FACTORY	Brass , Female pin ,6 u" Gold plated .		8	AASPF-1008-0.8	UNLESS OTHERWISE SPECIFIED TOLERANCES: X ± 0.25 XX ± 0.1 XXX ± 0.05 ANGLE ± 1°		P/N: K129351004	
1	VECTOR	M12 X-coding Female connector insert. Nylon+GF.	BLACK	1	M12X-08F				
No.	ITEM NAME	DESCRIPTION	COLOR	Q'TY	REMARKS	REV. F	SHEET 1/1	DWG.NO: T128390	AP.