



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





TA74 & TA72



FLIR TA72 with worklights



FLIR TA74 used in concert with the FLIR DM93 MultiMeter

FLIR

Universal Flex Current Probe Accessory

The FLIR Universal Flex Current Probe accessories are designed to add capabilities, simplify challenges, and get the best readings with your existing meter. Made with a narrow flexible coil clamp and locking mechanism, the TA72 and TA74 let you easily take measurements in tight or awkward spots — a difficult task with a traditional hard jaw clamp meter. The connection is a standard banana plug and the output is a voltage signal, so it's compatible with most DMMs and clamp meters, regardless of brand.*

TAKE ACCURATE MEASUREMENTS IN TIGHT OR AWKWARD SPOTS.

Tricky conductors conquered

- Snake the coil around obstacles with ease, even in deep, crowded cabinets
- Measure multiple conductors and targets with limited clearance
- Switchable AC current range – 30A, 300A, 3000A

EMPOWER YOUR METER.

Compatible with most DMMs and clamp meters, regardless of brand

- Adds 3000A AC current measurements to existing meters
- Standard banana plug connectors fit most meters
- AC voltage output for wide compatibility

EASY INSPECTION AND NAVIGATION.

Designed with your convenience in mind

- Bright, dual LED worklights provide built-in illumination for dark cabinets
- Rugged design drop-tested to 3 meters, portable and lightweight
- Limited lifetime warranty with registration

CHOOSE FROM TWO FLEXIBLE COIL LENGTHS:

- **TA72 - 10"** (25.4cm) for easy maneuverability and compact convenience
- **TA74 - 18"** (45.72 cm) for larger and multiple conductor measurements, double-wrap requirements, and deeper access

Specifications

Universal Flex Current Probe Accessory	TA72	TA74
Maximum AC current	3000A	
AC current ranges and resolution	30.00A, 300.0A, 3000A	
Basic AC current accuracy (full scale)	± 3.0% + 5 digits	
Measurement rate	1.5 samples per second, nominal	
AC current bandwidth	45Hz – 500Hz (sine wave)	
Positional error (distance from optimum)	0.6" (15mm) ± 2.0% 1.0" (25mm) ± 2.5% 1.4" (35mm) ± 3.0%	1.4" (35mm) ± 1.0% 2.0" (50mm) ± 1.5% 2.4" (60mm) ± 2.0%
Meter Data		
Minimum requirements for meter compatibility with TA72	AC voltage function, 4000 count display 1mV remote*	
Max conductor diameter	2.4" (6cm)	4.7" (12cm)
Flex coil length	10" (25cm)	18" (45cm)
Flex coil diameter	0.3" (7.5mm)	
Flex coil tip diameter	0.5" (13mm)	
Cable length	73" (1.9m)	
Worklight	Two white LEDs	
Power supply	(2) 1.5V "AAA"	
Drop test	9.8' (3m)	
Agency approvals	CE, UL	
Safety rating	CAT IV 600V, CAT III 1000V	
Standards	EN61010-1, EN61010-2-032, EN61326-1	
Warranty	Limited lifetime with registration**	

*for more information on TA72/74 compatibility, please see www.flir.com/ta72-ta74

**Register within 60 days of purchase at www.flir.com/testwarranty

Ordering Information	TA72	TA74
UPC	793950377727	793950377741
EAN	0793950377727	0793950377741

Flex Coil



PORTLAND
Corporate Headquarters
FLIR Systems, Inc.
27700 SW Parkway Ave.
Wilsonville, OR 97070
USA
PH: +1 503.498.3547

NASHUA
FLIR Systems, Inc.
9 Townsend West
Nashua, NH 03063
USA
PH: +1 603.324.7600

EUROPE
FLIR Systems, Ltd.
West Malling, Kent
United Kingdom
PH: +44.1732.220011

SWEDEN
FLIR Systems, AB
Täby, Sweden
PH: +68.8.753.2500

www.flir.com
NASDAQ: FLIR

Equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited. Imagery for illustration purposes only. Specifications are subject to change without notice. ©2015 FLIR Systems, Inc. All rights reserved. [Created 06/09/15]