

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







HellermannTyton

Specification Sheet

Part Number: TAG110BR



Article Number	595-00111
Туре	TAG110
Color	Brown (BN)
Features & Benefits	 Cardstock paper can be printed using a wide variety of printing methods, including laser, ink jet and dot matrix printers, which means more options for creating and mounting termination identification on 110 blocks.
Quantity Per	pack
Product Description	110 Block labels are made of non-adhesive card stock that is pre-perforated along each marker. An optional dot matrix pin feed margin can be removed if printing in a laser or ink jet printer. Various colors of stock can be purchased to identify route diversity.
Short Description	Laser Tag Label, 7.9" x .475", 15 Per Page, PAP, Brown, 1000/pkg

Width W (Imperial)	7.9
Width W (Metric)	200.66
Height H (Imperial)	0.475
Height H (Metric)	12.06

Material	Paper (PAP)
Material Shortcut	PAP
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +199°F (-40°C to +93°C)
Operating Temperature (Metric)	-67°F to +428°F (-55°C to +220°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes

Package Quantity(Imperial)	1000
----------------------------	------

Package Quantity (Metric)	1000
Customs Number	3919905060
Labels per Column	15
Labels per Row	1

 $\hbox{@ 2018 HellermannTyton. All rights reserved.}$

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions