



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Specification Sheet

Part Number: TAG26T6-100B



Thermal Transfer Labels, Self-Laminating, .5" x .38" x .75", 6 Across, VL, White, 10,000/roll

Article Number	596-00009
Type	TAG26T6
Color	Silver (SR)
Features & Benefits	<ul style="list-style-type: none">• HellermannTyton Self-Laminating Labels come on rolls on a standard 3" core for easy loading into a printer or caddy.• Labels are conformable so that they can bend around small gauge wires and tight bends without coming loose over time.• Labels are UL recognized for indoor and outdoor use to expand application options.• HellermannTyton thermal transfer labels work in any thermal transfer printer so that the use always has options to get labels printed without being locked into a single vendor.
Quantity Per	roll

Product Description

HellermannTyton thermal transfer self-laminating labels are a conformable vinyl film with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels are UL recognized for indoor and outdoor use with an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

Short Description

Thermal Transfer Labels, Self-Laminating, .5" x .38" x .75", 6 Across, VL, White, 10,000/roll

Global Part Name

TAG26T6-100B-ML

Width W (Imperial)

0.5

Width W (Metric)

12.7

Bundle Diameter Min (Imperial)

0.059

Bundle Diameter Min (Metric)

1.5

Bundle Diameter Max (Imperial)

0.118

Bundle Diameter Max (Metric)

3.0

Thickness T (Metric)

25

Width of Liner (Metric)

85.09

Width of Liner (imperial)

3.35

Material

Type 100B

Material Shortcut 100B

Adhesive Acrylic

Halogen free No

Adhesive Operating Temperature -51°F to +200°F (-46°C to +93°C)

Operating Temperature (Metric) -40°F to +194°F (-40°C to +90°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Certification/Specification WEB UL-Recognized

UL Recognized (US) Yes

Package Quantity(Imperial) 10000

Package Quantity (Metric) 10000

Customs Number 3919102055

Labels per Column 1

Labels per Row 6

Weight (Metric) 1.176

Weight (Imperial) 2.57

© 2018 HellermannTyton. All rights reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)