

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## HellermannTyton

## **Specification Sheet**

Part Number: TAG51J-994

## HellermannTyton

Ink Jet Label, Self-Laminating, 1.0" x .35" x .75", 64 Per Sheet, PET, White, 1000/pkg

Article Number	593-51994
Туре	TAG51J
Color	White (WH)
Features & Benefits	•HellermannTyton Ink Jet labels are sheet fed for easy loading and fast printing. •Ink Jet labels are made with high temperature materials and adhesives so that they will not be affected by the high heat of laser printing. •Ink Jet labels are printable using toner for long term UV exposure. •Ink Jet labels come in a variety of label sizes and types to fit most applications.
Quantity Per	pack
Product Description	HellermannTyton's ink jet self-laminating labels are smear resistant, allowing them to be handled immediately. The labels are made of a heat resistant 1mm

printer.

polyester film with a strong acrylic based adhesive. The printable area is a special ink-receptive film that absorbs the ink as it is printed on an ink jet

Short Description	Ink Jet Label, Self-Laminating, 1.0" x .35" x .75", 64 Per Sheet, PET, White, 1000/pkg
Global Part Name	TAG51J-994-WH
Width W (Imperial)	1.0
Width W (Metric)	25.4
Bundle Diameter Min (Imperial)	0.063
Bundle Diameter Min (Metric)	1.60
Bundle Diameter Max (Imperial)	0.087
Bundle Diameter Max (Metric)	2.20
Thickness T (Metric)	35.0
Width of Liner (Metric)	215.00
Width of Liner (imperial)	8.5
Outside Diameter Max(Imperial)	0.087
Outside Diameter Min (metric)	1.6
Outside Diameter Min(Imperial)	0.059
Outside Diameter Max (metric)	3.30

Material	Type 994, Polyetylene Terephthalate (PET)
Material Shortcut	994
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3919905060
Labels per Column	8
Labels per Row	8
Weight (Metric)	0.521
Weight (Imperial)	1.14

© 2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions