

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Products

About Us

Products

Product highlights

Product overview

Cable Ties and Fixings (1668)

Insulation Products (2244)

Cable Protection Systems (1683)

Installation Devices (197)

Identification Systems (2438)

Control Panel Labelling

Industrial Identification (310)

Security Labeling (156)Hazardous Area

Identification

Printers and Software

Application Tooling (134)

(1207)Connectivity

T.I.P.S.

Project Management-Autotool-Automatic Cable Tying Systems

Competences

Career


News & Events

Downloads

TAGH85







The thermal transfer print guarantees a very clear and detailed image for use with graphics, single or sequential characters and especially barcodes. These labels offer the choice for smear-resistant, ultraviolet-resistant and chemical-resistant marking.

In nearly all ares, especially for cable and wire identification in computer and electronic business. For problem-free printing, we recommend our TagPrint Pro (Page 245 CHECK PAGE!!!).









roll



V	
Application Method	Each roll of labels is loaded onto a reusable spindle. Simply drop the label roll into the printer, pull the labels over the top (like loading film into a camera) and close the cover. No need to mechanically feed
Colour	and align the labels. White (WH)
Mounting method Identification ETIM	Pasting / Stick
Туре	TAGH85-336
Variant	Roller form
With label space ETIM	Yes
⊎	
Height (H)	6.35 mm
Height (H) (imperial)	0.25 "
Length (L)	6.35 mm
Length (L) (imperial)	0.25 "
Print Method	Thermal Transfer
Width (W)	31.7 mm
Width (W) (imperial)	1.25 "
Width of Liner (WL)	34.92 mm
Width of Liner (WL) (imperial)	1.375 "
V	
Carton Quantity	1 Reel
EAN code	4031026230627
Pack Cont.	750
Pack Cont.	750

Quantity per

UPC	089306223436
Weight	0.3 kg
Adhesive	Acrylic
Adhesive Operating Temperature	-40 °C to +150 °C
Curing Temperature	from +10 °C
Material	336
Material	Type 336, Polyester, white (WH)
Operating Temperature	-40 °C to +150 °C
Shortcut Adhesive	Acryl
Specification	UL-Recognised
UL OCD link	Link Link
UL-File Number	MH18396
UNSPSC Key	39131504

Contact Us Terms and Conditions Imprint Sitemap Newsletter

© HellermannTyton 2013