

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







HellermannTyton

TAGH90-336

Article Number: 557-00059

Spirit Printer Label, 1.5" X .5" Polyester, White, 500/RL



RoHS



Base Data

Local Order Number TAGH90-336

Type TAGH90

Color White (WH)

- Features and Benefits Spirit portable printing system includes a white and metalized polyester film for surviving harsh environments.
 - · Labels can withstand up to 300F continuous operating temperature for durable, extreme-environment use.
 - The printed labels are thicker making them perfect for marking almost any flat or slightly curved application.
 - · Printed labels are UV stable which means that they can survive direct exposure to sunlight and the elements for up

to 2 years.

Printing using the HHIGR will create a UL recognized mark for long term durability and chemical resistance.

Product Description The HellermannTyton Spirit printing system is easy to use and features a "What You See Is What You Get" (WYSIWYG) user interface that shows the outline of the label on the LCD screen for quick and easy editing and printing. The Spirit 2100 provides a fast, high quality, thermal transfer printing of labels that are designed to survive industrial environments. A wide variety of label materials, sizes and types are available to fit most applications.

Mounting method Identification ETIM Pasting / Stick

Short Description

Spirit Printer Label, 1.5" X.5" Polyester, White, 500/RL

Product Dimensions

Length L (Imperial) 0.5 "

Length L (Metric) 12.7 mm

Variant Roller form

Width W (Imperial) 1.5"

Width W (Metric) 38.1 mm

Height H (Imperial) 0.5 "

Height H (Metric) 12.7 mm

Height of printable area (metric) 12.7 mm

Print Method Thermal Transfer

Width of Liner WL (metric) 41.27 mm

Width of Liner WL (imperial) 1.625 "

Logistics and Packaging

Quantity Per reel

Package Quantity 500

Package Quantity (Metric) 500

Carton Quantity 1 Reel

Weight (Metric) 0.3 kg

Material and Specifications

Material Type 336, Polyester, white (WH)

Material Shortcut 336

Adhesive Shortcut Acrylic

Adhesive Acrylic

Adhesive Operating Temperature $-40^{\circ}\text{F to } +302^{\circ}\text{F } (-40^{\circ}\text{C to } +150^{\circ}\text{C})$

Operating Temperature -40°F to +302°F (-40°C to +150°C)

ROHS Compliant Yes

Certification/Specification UL-Recognized