

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










Tango 40





Key Specifications - Electrical

Operating temperature:	-20 to +65°C
Storage temperature:	-30 to +70°C
Impedance:	50 ohm
Gain:	1/3/5dBi
VSWR:	≤3.0
Frequency range:	698 - 960MHz 1710 - 2170MHz 2300 - 2700MHz
Radiation:	Omni-directional
Polarization:	Vertical
HBPW ± 3dB@EPlane:	120° @ 698-960MHz @ EPlane 50° @ 1710-2170MHz @ EPlane 30° @ 2300-2700MHz @ EPlane
HBPW ± 3dB@HPlane:	360° @ 698-960MHz @ HPlane 360° @ 1710-2170MHz @ HPlane 360° @ 2300-2700MHz @ HPlane

Key Specifications - Mechanical


Weight:	140g
Connector:	N Jack
Waterproof:	IP65







Test Reports

Return Loss / VSWR




Pattern










Tango 40










fax






Return Loss



VSWR



fax

web