imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



		PART NO.	THREAD TYPE
NOTES: 1. MATERIAL: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 2. OLOGE: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 2. OLOGE: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 2. OLOGE: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 2. OLOGE: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 2. OLOGE: RUBBER BUMPER - III: SHOTE 40-50A DUROMETER (RMS-348) 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: TITLE: THREADED BILM: SIZE A DUROW: SIZE A DUROMETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROW: SIZE A DUROMETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROW: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROW: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROW: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BILM: SIZE A DUROWETER (RMS-348) TYPICAL COMPRESSION FOR 10 LB MAX			
	ψ .38[9.5]		
NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) 2. OLOGR: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) 2. OLOGR: RUBBER BUMPER - BLACK THREADED STEM - BRASS (RMS-349) 2. OLOGR: RUBBER BUMPER - BLACK THREADED STEM - BRASS (RMS-349) 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [08] THE: T			
A0[10.2] 40[10.			
NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) THREADED STEM - BRASS (RMS-349) 2. COLOR: RUBBER BUMPER - BLACK THREADED STEM - AS MACHINED 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BUMPERS OPERATED USING FILE #: TB DWN: S.J. APP: S.J. FINAL CORRECTIONED SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # FINAL SEE ECN #1309 FOR CHANGES SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: S.K. PART # SEE FINAL B SEE ECN #1309 FOR CHANGES SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: S.K. PART # SEE FINAL B SEE ECN #1309 FOR CHANGES SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: S.K. PART # SEE FINAL B SEE ECN #1309 FOR CHANGES SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: S.K. PART # SEE FINAL B SEE ECN #1309 FOR CHANGES SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: SK SEE FINAL B SEE SEE SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: SK SEE FINAL B SEE SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: SK SEE FINAL B SEE SK 04/05/07 XX #105 KIEP SIZE: A DT: 1.09.07 CHKD: SK SEE FINAL B SEE SK 04/05/07 XX #105 KIEP SIZE			
NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) THREADED STEM - BRASS (RMS-349) 2. COLOR: RUBBER BUMPER - BLACK THREADED STEM - AS MACHINED 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BUMPERS OREATED USING SOLUMVIENS TOLERANCES UNLESS NOTED B SEE ECN #1309 FOR CHANGES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SK 04/05/	.20[5.1]		
NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) THREADED STEM - BRASS (RMS-349) 2. COLOR: RUBBER BUMPER - BLACK THREADED STEM - AS MACHINED 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BUMPERS OREATED USING SOLUMVIENS TOLERANCES UNLESS NOTED B SEE ECN #1309 FOR CHANGES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SK 04/05/			
NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) THREADED STEM - BRASS (RMS-349) 2. COLOR: RUBBER BUMPER - BLACK THREADED STEM - AS MACHINED 3. TYPICAL COMPRESSION FOR 10 LB MAX LOAD = .03 [0.8] TITLE: THREADED BUMPERS OREATED USING SOLUMVIENS TOLERANCES UNLESS NOTED B SEE ECN #1309 FOR CHANGES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SK 04/05/07 SK 04/05/07 TOLERANCES SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SEE SK 04/05/07 SK 04/05/07 SEE SK 04/05/07 SK 04/05/			
B SEE ECN #1309 FOR CHANGES SK 04/05/07 RE: RICHCO, INC.	NOTES: 1. MATERIAL: RUBBER BUMPER - IIR, SHORE 40-50A DUROMETER (RMS-348) THREADED STEM - BRASS (RMS-349) 2. COLOR: RUBBER BUMPER - BLACK THREADED STEM - AS MACHINED		
B SEE ECN #1309 FOR CHANGES SK 04/05/07 SK 04/05/07 FILE #: TB DWN: S.J. APP: S.J. FINAL B SEE ECN #1309 FOR CHANGES SK 04/05/07 SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K. PART # PRINT TYPE XX=±.010 XX=±.010 RE: RICHCO, INC. RICHCO, INC. SEE SEE C	TITLE: THREADED BUMPERS	€	
B SEE ECN #1309 FOR CHANGES SK 04/05/07 SHEET: 1 OF 1 SHEET: SIZE: A DT: 1.09.07 CHKD: S.K. PART # PRINT TYPE XX=±.010 XX=±.010 XX=±.010 RE: RICHCO, INC. RICHCO, INC. SEE SEE C C	CREATED USING SOLIDWORKS FILE #: TB DWN: S.J. APP: S.J.		FINAL
	TOLERANCES SHEET: 1 OF 1 SHEET SIZE: A DT: 1.09.07 CHKD: S.K.	PART #	PRINT
	B SEE ECN #1309 FOR CHANGES SK 04/05/07 XX=±.010 RE: RICHCO, INC. RICHCO, INC. RICHCO, INC.	SE	
	A RELEASED FOR PRODUCTION SK 01/09/07 FRAC-±1/64 ENG@RICHCO-INC.COM	TAF	BIF ICA