

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









## **Specification Sheet**

Part Number: TCWM2



Handi-Pak Marker Booklet, 10 Markers Each A-Z, 1-15, +, -, /, White, 1/pkg

| Article Number      | 598-00261  |
|---------------------|--|
| Туре                | TCWM2  |
| Color               | White (WH)   |
| Features & Benefits | •Handi-Paks booklets fit in a pocket for easy transport and access. •A single marker can be removed at the top of each label so that the terminal block can be marked and the remaining label can be used to mark the associated wire connected to the terminal. •Markers are kitted on each page so that any marker can be removed without affecting the other markers on the page. •Markers have a micro-perforation in the middle of each marker so that they can be broken into two pieces for use on small gauge wires, eliminating waste and reducing costs. |
| Quantity Per        | book   |

| Product Description            | pre-printed legends on a white background. The legends are printed on a plastic coated cloth label that remains flexible for use in identifying wires and cables. A strong adhesive assures long lasting identification on small wires, cables or anything requiring permanent or temporary identification. |
|--------------------------------|---|
| Short Description              | Handi-Pak Marker Booklet, 10 Markers Each A–Z, 1–15, +, -, /, White, 1/pkg  |
| Global Part Name               | TCWM2-TYHC-WH   |
| Technical Description          | Handi-Pak, 10 Markers Each A–Z, 1–15, +, -, /, White  |
|                                |   |
| Length L (Imperial)            | 1.625   |
| Length L (Metric)              | 41.27   |
| Width W (Imperial)             | 0.25  |
| Width W (Metric)               | 6.35  |
| Bundle Diameter Min (Imperial) | .13   |
| Bundle Diameter Min (Metric)   | 3.40  |
| Bundle Diameter Max (Imperial) | .29   |
| Bundle Diameter Max (Metric)   | 7.50  |
| Height H (Imperial)            | 1.5   |
| Height H (Metric)              | 38.1  |
| Outside Diameter Max(Imperial) | 0.375   |
|                                |   |

Handi-Paks are convenient pocket sized books that contain pages of black,

**Product Description** 

| Outside Diameter Min (metric)  | 2.54                              |
|--------------------------------|-----------------------------------|
| Outside Diameter Min(Imperial) | 0.1                               |
| Outside Diameter Max (metric)  | 9.52                              |
|                                |                                   |
|                                |                                   |
| Material                       | Vinyl Cloth (TYHC)                |
| Material Shortcut              | TYHC                              |
| Adhesive                       | Rubber                            |
| Halogen free                   | No                                |
| Adhesive Operating Temperature | -40°F to +248°F (-40°C to +120°C) |
| Operating Temperature (Metric) | -40°F to +248°F (-40°C to +120°C) |
| Reach Complaint(Article 33)    | No                                |
| ROHS Complaint                 | Yes                               |
|                                |                                   |
| Package Quantity(Imperial)     | 1                                 |
| Package Quantity (Metric)      | 1                                 |
| Customs Number                 | 3919905060                        |
| Labels per Column              | 15                                |

