



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## TFL-1

### Fused Test Leads

Constructed of flexible silicon insulated wire for maximum durability.



## ***Fused Test Leads for Added Safety...***

Greenlee is proud to introduce the TFL-1 Fused Test Leads. The TFL-1 Fused Test Leads offer another element of safety for the contractor when using electrical test equipment such as digital multimeters. The Greenlee TFL-1 Fused Test Leads comply with the latest electrical safety requirements (mandatory in Canada) for today's ever-changing electrical environment.

These premier test leads are constructed of flexible silicon insulated wire for maximum durability. They are rated CAT III 1000V, CAT IV 600V in accordance with CSA and UL standards (see specifications on reverse side).

As part of the Greenlee Test and Measurement Product line, the Greenlee TFL-1 Fused Test Leads meet the latest industry safety standards and are backed by a lifetime limited warranty.

## Features

- High breaking capacity fuse in each lead for safety
- 39" (1m) long flexible silicon insulated wire
- Right angle meter plugs
- Lifetime Limited Warranty

### Contents / Accessories:


- (2) 39" (1m) Leads: (1) red, (1) black
- (2) Fuses: Type FF, 1000V, 500mA, Interrupting rating 50kA



## Specifications

<b>Measurement Category:</b>	CAT III, 1000 V and CAT IV, 600 V per CAN/CSA C22.2 No. 61010-1 and 61010-031, and UL 61010-1 and 61010-031	
<b>OPERATING CONDITIONS</b>	<b>Temperature:</b>	-10 °C to 50 °C (14 °F to 122 °F) Relative Humidity (non-condensing): 80% maximum
	<b>Altitude:</b>	2000 m (6500') maximum Indoor use only
	<b>Storage Conditions:</b>	-40 °C to 70 °C (-40 °F to 158 °F), 0% to 70% relative humidity (non-condensing)
<b>Pollution Degree:</b>	2	
<b>Fuse Specification:</b>	1000 V, 500 mA, Ultra-rapid, IR = 50 kA	
<b>Dimensions:</b>	6.3 x 32 mm	

## Ordering Information

CAT. No.	UPC No.	DESCRIPTION	QTY
TFL-1	12028	Leads, Test-Fused	1
TFL-1R	12848 	(2) Fuses, Replacement	1

 = REPLACEMENT PART

### DISTRIBUTOR INFORMATION :



**USA** Tel: 800.435.0786  
Fax: 800.451.2632

**Canada** Tel: 800.435.0786  
Fax: 800.524.2853

**International** Tel: +1.815.397.7070  
Fax: +1.815.397.9247

