



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




# STRUCTUREDGROUND™ Kits for Data Center Cabinet Grounding



## Selection Guide


### Complete Grounding Solution

- Complies with the "Telecommunications Infrastructure Standard for Data Centers" as described in TIA-942
- Maximize uptime, maintains systems performance, and protects network equipment
- Provides a dedicated, low resistance, and visually verifiable ground system
- Flexible design for use on EIA-310-D compliant cabinet



#### Grounding Strip Kit:

- Provides a bond between the grounding strip and rack or cabinet, eliminating the need to scrape paint



#### Bonding Hardware Kit:

- Patent pending, bonds equipment and patch panels to the front or back of the rack or cabinet




#### Electrostatic Discharge (ESD) Port Kit:

- Bent 45° acts as a hook to hold ESD wrist strap



#### Equipment Jumper Kit:

- Bonds network equipment to the grounding strip or grounding busbar



#### Common Bonding Network (CBN) Jumper Kit:


- Connects grounding strip or grounding busbar to MCBN in underfloor and overhead grounding applications



**RoHS**


#### \* Front to Back Rail Jumper Kit:

- Patent pending hardware bonds the front and back cabinet rails to the cabinet grounding busbar



#### \* Grounding Busbar Kit:

- Provides the common grounding point within the cabinet



\*For use with unbonded cabinet; not required for PANDUIT® NET-ACCESS™ Cabinets or 4 Post Racks

# STRUCTUREDGROUND™ Kits for Data Center Cabinet Grounding

## Cabinet Grounding Selection in 2 Easy Steps:

1. What type of fasteners do your mounting rails require?
2. What is the maximum depth of the equipment being mounted?

Selection Criteria	Grounding Strip Kit <sup>^</sup>	ESD Port Kit (2 required) <sup>‡</sup>	Grounding Busbar Kit <sup>^</sup>	Front to Back Rail Jumper Kit <sup>^</sup>	Common Bonding Network (CBN) Jumper Kit <sup>*</sup>	Equipment Jumper Kit <sup>**</sup>	Bonding Hardware <sup>***</sup>
<b>STRUCTUREDGROUND™ Kits for Data Center Cabinet Grounding</b>							
<b>PANDUIT® NET-ACCESS™ Cabinets: CN1, CN2, CN4, CN5, CN1CN, CN2CN, CS1, CS2 and CS3</b>							
<b>1. Rail Fasteners</b>							
Threaded #12-24 <sup>•</sup>	RGS134-1Y	RGESD2-1	—	—	RGCBNJ660P22	RGEJ657PFY	RGTBSC-C (Bonding Screw)
Cage Nut <sup>••</sup>	RGS134B-1	RGESD2B-1	—	—	—	—	CGNBSK (Bonding Stud)
<b>STRUCTUREDGROUND™ Kits for Data Center Cabinet Grounding</b>							
<b>EIA-310-D Compliant Cabinets</b>							
<b>1. Rail Fasteners</b>	<b>2. Rail Depth up to</b>						
Threaded #12-24 or M6	RGS134-1Y	20" (.5m)	RGRB19U	—	—	—	RGTBSC-C or RGTBSM6G-C
		30" (.75m)					
		40" (1m)					
Threaded #10-32 or M5	RGS134-1Y	20" (.5m)	RGRB19U	—	—	—	RGTBS1032G-C or RGTBSM5G-C
		30" (.75m)					
		40" (1m)					
Cage Nut	RGS134B-1	20" (.5m)	RGRB19CN	—	—	—	CGNBSK (Bonding Stud)
		30" (.75m)					
		40" (1m)					
1/4" Thru-Hole	RGS134C-1	20" (.5m)	RGRB19U	—	—	—	THBSK (Bonding Stud)
		30" (.75m)					
		40" (1m)					

<sup>^</sup>Grounding strip kits, grounding busbar kits, and front to back rail jumper kits are supplied with mounting hardware based upon rail type.

<sup>•</sup>Grounding strip kits include 45 RU strip lengths, additional kits for 42 RU and 47 RU also available. Grounding strip kits also available in packages of ten.

<sup>‡</sup>ESD port recommended for use on front and back of cabinet.

<sup>\*</sup>CBN jumper kit supports MCBN connection up to #2 AWG (35mm<sup>2</sup>). Use RGCBNJ660PY for cable sizes up to 250kcmil (120mm<sup>2</sup>).

<sup>\*\*</sup>Additional equipment jumper kits available in different sizes with different termination options. One equipment jumper kit is required per component.

<sup>\*\*\*</sup>Use bonding hardware to mount and bond equipment to the cabinet.

<sup>•</sup>Threaded #12-24 rails are included with the CN1, CN2, CN4 and CN5 cabinets.

<sup>••</sup>Cage nut equipment rails are sold in pairs for the cabinets, order part numbers CNRC, CN1CN, CN2CN, CS1, CS2 and CS3.

### WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA  
Markham, Ontario  
cs-dn@panduit.com  
Phone: 800.777.3300

PANDUIT EUROPE LTD.  
London, UK  
cs-emea@panduit.com  
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.  
Republic of Singapore  
cs-ap@panduit.com  
Phone: 65.6305.7575

PANDUIT JAPAN  
Tokyo, Japan  
cs-japan@panduit.com  
Phone: 81.3.3767.7011

PANDUIT LATIN AMERICA  
Jalisco, Mexico  
cs-la@panduit.com  
Phone: 52.333.777.6000

PANDUIT AUSTRALIA PTY. LTD.  
Victoria, Australia  
cs-aus@panduit.com  
Phone: 61.3.9794.9020

For a copy of PANDUIT product warranties, log on to [www.panduit.com/warranty](http://www.panduit.com/warranty)

For more information

Visit us at [www.panduit.com](http://www.panduit.com)

Contact Customer Service by email: [cs@panduit.com](mailto:cs@panduit.com)  
or by phone: 800-777-3300 and reference GRSG01



© 2007 PANDUIT Corp.  
ALL RIGHTS RESERVED.  
Printed in the U.S.A.  
SA-GRSG01  
11/2007