imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Terminal Junction Modules



Electronic Terminal Junction Modules

MIL-T-81714/26 Compatible Class D

Operating Range

Temperature: -65°C to 200°C* Insulation Resistance: 5000 Megaohms Min. @ 25°C* Dielectric Withstanding Voltage: 1500 VRMS at Sea Level 200 VRMS at 100,000 ft.* Vibration & Shock: Per MIL-T-81714 Paragraph 3.5.5 & 3.5.9* Current Rating: 7.5 amps*

Amphenol Pcd Terminal Junction Module

Materials

Module Body: Polyethermide per ASTM-D-5205 Grommet: Silicone Rubber per A-A-59588 Contact Retainers: Stainless Steel Internal Contact: Copper Alloy, Gold Finish

* May vary due to internal electronic component

Product Description


Electronic Terminal Junction modules meet all dimensional and performance requirements of M81714/26 and are specifically developed for electronic component packaging. Available For size 20 and 22 contacts, these modules function as highly efficient and reliable Electronic component packages. They improve system efficiency and density by permitting various electronic components such as diodes, resistors, fuses, and capacitors, which usaully take up valuable space elsewhere in the system, to be securely packaged within the module housing.


Amphenol Pcd electronic modules offer significant design, material and construction improvements over competitive modules. Hand soldering operations have been completely eliminated. Electronic components are encapsulated in a semi-rigid elastomer that provides electrical spacing and insulation as well as shock and vibration protection.

Typical commercially available diode configurations are indicated on this page. A broad variety of additional configurations are available, and modules can be customized to meet specific customerdesigns. Please contact Amphenol Pcd to review requirements and discuss available options.

Circuit Diagram	APCD P/N	Diode P/N	Quantity
(E) D (C) B (A)	TJE120810	JANTX1N5552	5
(E) (B) (A)	TJE120811	JANTX1N5552	4
KJ GF			
(E D) (C B A)	TJE120815	1N4005	2
K J H G F			
(E) H (B A)	TJE120998	BYW56	2
K ← G F			
E B A	TJE120999	BYW56	2
K G F			

Terminal Junction Module Dimensions





Amphenol Pcd

Electronic Terminal Junction Modules

MIL-T-81714/26 Compatible Class D

Terminal Junction Modules

Amphenol Pcd's Electronic Terminal Junction Modules are available with a variety of components and in a wide range of configurations. Components available include but are not limited to diodes, resistors, fuses, capacitors, thyristors, and inductors, and are also available with multiple components within one module. The following are currently available Electronic Terminal Junction Modules, although there are new configurations produced regularly and customized components are also available.



Amphenol Pcd Electronic Terminal Junction Modules

Circuit Diagram	APCD P/N	Part	Part P/N	Quantity
A.C	TJE120514	Capacitor	620pF	1
			-	
E D C B A	TJE120816	Diode	IN4003	3
KJHGF				
EDCBA	TJE120817	Diode	IN4003	2
KJHGF				
E D C B A	TJE120818	Diode	IN4003	3
KJHGF				
E D C B A	TJE120819	Diode	IN4003	3
K J H G F				
E D C B A	TJE120820	Diode	IN4003	3
KJHGF				
Ę₽Ç₿Ą	TJE120822	Diode	IN4007	5
KJHGF				
ĘŢĊŖĄ	TJE120824	Diode	JANTX1N5618	5
KJHGF				
ĘŢĊ₿Ą	TJE120826	Diode	IN4006	2
KUHGF				
ED BA	TJE120827	Diode	JANTX1N5552	2
B A	TJE120828	Diode	JANTX1N5618	2
E ₩ B A	TJE120829	Diode	1N5618	2
K K G F				
Ę₽Ç₿Ą	TJE120831	Diode	1N5618	2
KJHGF				
ED BA	TJE120833	Diode	1N5418	2
(KJ) (GF)				

Circuit Diagram	APCD P/N	Part	Part P/N	Quantity
ĘŢĊŔ	TJE120900	Resistor	10 K Ω,1/8 W	5
<u>ŘĴĂĞĒ</u>				
ĘŢĊŔ	TJE120902	Resistor	150K Ω,1/8 W	5
ŔĴĤĠŔ				
EA	TJE120903	Resistor	33 Ω,1/4 W	2
K(F)				
ED BA	TJE120904	Resistor	1K Ω,1/8 W	2
KJ GF				
ED-W-A	TJE120905	Resistor	1K Ω,1/2 W	2
KJ-W-F				
(EDCBA) ≩	TJE120906	Resistor	150 Ω,1/2 W	1
(K J H G F)				
(EDCBA) ≩	TJE120907	Resistor	180 Ω,1/2 W	1
<pre>K J H G F</pre>				
EDCBA	TJE120908	Resistor	Various Ω,1/2 W	5
<u>KĴĤĠĒ</u>				
ED BA	TJE120920	Resistor	54K,6K Ω,1/2W	2
KJ GF				
ĘŢÇŖĄ	TJE120921	Resistor	500K Ω,1 W	5
ŔĴĦĠŔ				
ĘŢÇŖĄ	TJE120922	Resistor	Various Ω,1/2 W	5
ŔĴĦĠŔ				
ŢÇŶ	TJE120924	Resistor	1K Ω,1/4 W	4
à L _{on} j B				
ĘŲÇ₿Ą	TJE120927	Fuse	1 AMP	5
KÍÐÐGF				
ĘĮÇĮ	TJE120928	Resistor	1.3K Ω,1/2 W	5
ŔĴĦĠŔ				

Amphenol Pcd