



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Protect It! 230V Surge Protector with 5Schuko Type F Outlets, 1M Cord, 280 Joules, German plug, Diagnostic LED

MODEL NUMBER: TLP51D



Highlights

- 5 safety outlets
- 1 m cord
- "Protected" LED
- 280 joule rating

Package Includes

- TLP51D surge suppressor
- Instruction manual and product warranty information

Description

Tripp Lite's Protect It!™ TLP51D offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP51D offers 5 Schuko Type F outlets and a 1 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP51D offers economical AC surge suppression
- 280 joules AC surge suppression shields equipment from surges and line noise
- 5 Schuko outlets protect computers and peripherals
- 1 m cord with German plug
- "Protected" LED
- Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW	
UPC Code	037332145338
OUTPUT	
Output Receptacles	(5) Schuko Type F
Output (Watts)	2300
Circuit Breaker (amps)	10



Transformer Accommodation	3
INPUT	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Input Cord Length (ft.)	3
Input Cord Length (m)	0.91
Voltage Compatibility (VAC)	220-250
Right-Angle Plug	Yes
USER INTERFACE, ALERTS & CONTROLS	
Diagnostic LED Details	Protected
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	280
DATALINE SURGE SUPPRESSION	
Telephone/DSL Protection	No
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
PHYSICAL	
Shipping Dimensions (hwd / in.)	12.00 x 2.17 x 4.53
Shipping Dimensions (hwd / cm)	30.48 x 5.51 x 11.51
Shipping Weight (lbs.)	0.90
Shipping Weight (kg)	0.41
Unit Dimensions (hwd / in.)	10.43 x 1.58 x 2
Unit Dimensions (hwd / cm)	26.49 x 4.01 x 5.08
Unit Weight (lbs.)	.87
Unit Weight (kg)	0.39
Housing Color	Light grey
Receptacle Color	Light grey
Color (AC Line Cord)	Light grey
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>