



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






TLS2011

JUMPER LEAD SET (PVC INSULATION)

Color identification is safe way to work on electrical circuits

Four-piece Color Coded Jump Lead Set

- Alligator clips on both ends securely grip terminal connections
- Coiled cord stretches to 48" (122cm) for extra reach
- Coil cords recoil requiring minimum storage space and less tangling
- Heavy duty but flexible rubber boots provide safety insulation and wire connection strain relief
- Soldered and clamped wire connections to alligator clips provides low signal loss and prolongs life
- Four distinct colors facilitate easy identification of test circuits



Copyright © 2008 Test Products International, Inc.

Voltage Rating	Amperage Rating	Insulation Material	Dimensions	Type
600 V	10 Amp	PVC	Lead Length: 48 inches (122cm) Jaw Opening: N/A	Alligator clip to alligator clip jumper leads.

Voltage / Amperage Rating
Category Rating
Type
Dimensions
Insulation Material