

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







TLS2020

JUMPER LEAD SET (PVC INSULATION)

Multiple length jump leads for working on electrical circuits

Four-piece, Four Length Jump Lead Set

- · Four distinct sizes facilitate various applications that make the job easier to complete
- · Alligator clips on both ends securely grip terminal connections
- · Heavy duty but flexible rubber boots provide safety insulation and wire connection strain relief
- Soldered and clamped wire connections to alligator clips provides low signal loss and prolongs life



Copyright © 2008 Test Products International, Inc.

Voltage Ration	ng
----------------	----

600 V

Amperage Rating

10 Amp

Insulation Material

PVC

Dimensions

Lead Length: 12 inches (30cm) 18 inches (46cm)

24 inches (61cm) 120 inches (305cm)

Type

Alligator clip to alligator clip jumper leads.

Voltage / Amperage Rating
Category Rating
Type
Dimensions
Insulation Material