



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





TLS2030 MODULAR TEST LEAD KIT

For use with test equipment having 4mm diameter input jacks

- **Back Probes** - for non-intrusive testing, slide into terminal blocks or weather tight seals.
- **Modular Test leads** - 48 inches long, silicone insulation and 90° or 180° modular ends enable quick test-probe changes
- **Crocodile Clips** - for hands free testing
- **Piercing Probes** - screw into wires for positive connection
- **Grabbers** - 7 inch long, spring loaded jaws provide a sure grip
- **Modular Prods** - perform typical probing requirements
- **Spring Hooks** - 7 inch long, spring loaded for gripping connections and hard to reach wires or terminals
- **Black Nylon Pouch** - folds up for protected transport and storage



Copyright © 2013 Test Products International, Inc.

Voltage Rating

1000 V

Amperage Rating

10 Amp

Insulation Material

Test lead: Silicone
Adapters: PVC

Dimensions

Lead Length: 48 inches (30cm)

Type

4mm banana
plug ends and
sockets

Voltage / Amperage Rating
Category Rating
Type
Dimensions
Insulation Material