

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## PHYSICAL INFRASTRUCTURE SYSTEMS

B. Copper Systems

C. Fiber Optic Systems

D. Power over Ethernet

E. Zone Cabling

F. Wireless

G. Outlets

H. Media Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor Routing

> K. Surface Raceway

L. Cabinets, Racks & Cable Management

M. Grounding & Bonding

N. Industrial

0. Labeling & Identification

P. Cable Management Accessories

> Q. Index

## **SN** Cable Tie Mounts



- Unique cradle design provides maximum stability for the cable bundle
- Low profile design keeps bundle close to mounting surface
- Material: Nylon 6.6 or as specified below

Part Number	Used With Cable Ties	Length		Width		Height			Mounting	Std. Pkg.	Std. Ctn.
		ln.	mm	ln.	mm	ln.	mm	Color	Method	Qty.	Qty.
TM1S4-C	М	.51	13.0	.32	8.0	.23	5.8	Natural	#4 (M2.5) screw	100	500
TM1S4-C0*	M							Black		100	500
TM1S6-C	M							Natural	#6 (M3) screw	100	500
TM1S6-C0*	M							Black		100	500
TM2S6-C	M, I, S	.63	16.0	.43	10.8	.28	7.0	Natural		100	500
TM2S6-C0*	M, I, S							Black		100	500
TM2S8-C	M, I, S							Natural	#8 (M4) screw	100	500
TM2S8-C0*	M, I, S							Black		100	500
TM3S8-C	M, I, S, LH	.86	21.9	.61	15.5	.37	9.4	Natural		100	500
TM3S8-C0*	M, I, S, LH							Black		100	500
TM3S10-C	M, I, S, LH							Natural	#10 (M5) screw	100	500
TM3S10-C0*	M, I, S, LH							Black		100	500
TM3S2510-C30**	M, I, S, LH	.87	22.2	.62	15.7	.38	9.6	Black		100	500
TM3S2510-C39**	M, I, S, LH	.87	22.2	.62	15.7	.38	9.6	Natural		100	500
TM3S25-C	M, I, S, LH	.88	22.3	.63	16.0	.38	9.6	Natural	1/4 (M6) screw	100	500
TM3S25-C0*	M, I, S, LH	.88	22.3	.63	16.0	.38	9.6	Black		100	500

<sup>\*</sup>Material: Weather Resistant Nylon 6.6

## **N** Extra-Heavy Cable Tie Mounts

- Unique cradle design provides maximum stability for cable bundle
- Route and support large diameter and heavy cable bundles
- Dimensions are 1.62"L x 0.72"W x .61"H (41.4mm x 18.8mm x 15.5mm)\*
- Weather resistant material for indoor/outdoor use



Used With Part Number Cable Ties		Material	Mounting Method		Std. Ctn. Qty.
TMEH-S8-Q0	I, S, H, EH	Masthan Basistant Nolan C.C.	#8 (M4) Screw	25	250
TMEH-S10-Q0		Weather Resistant Nylon 6.6	#10 (M5) Screw	25	250
TMEH-S10-C100		Weather Resistant Polypropylene	#10 (M5) Screw	100	500
TMEH-S10-C109		Polypropylene	#10 (M5) Screw	100	500
TMEH-S25-Q0		Weather Resistant Nylon 6.6	1/4" (M6) Screw	25	250

All product color is black.

\*Polypropylene parts (TMEH-S10-C100, TMEH-S10-C109 have an overall length of 1.65" (41.9mm).

 $\label{eq:cable_Tiell} \textbf{Cable Tie Cross Sections: I = Intermediate, S = Standard, H = Heavy, EH = Extra \ Heavy.}$ 

<sup>\*\*</sup>Material: Heat Stabilized Nylon 6.6

Cable Tie Cross Sections: M = Miniature, I = Intermediate, S = Standard, LH = Light-Heavy.