

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







building a smarter, unified business foundation

WORLDWIDE

[CHANGE] ENGLISH

REGISTER / LOG IN

FOLLOW US



SOLUTIONS

PRODUCTS AND SERVICES SUPPORT ABOUT US



Back to Result



TP4H-D Add to BOM | Add to Favorites

Cable Tie Plate

Product Details Related Documents

Std. Pkg. Qty.	500
Std. Pallet Weight (lb)	981.0000
Std. Pallet Volume (cf)	46.263843
Std. Ctn. Weight (lb)	27.2500
Std. Ctn. Volume (cf)	1.2851
RoHS Compliancy Status	Compliant
Part Description	Cable Tie Plate
Product Type	Cable Tie Mounts - Screw Applied
Material	Nylon 6.6
Color	Natural
UL Recognized	E136577
Width (mm)	15.7
Length (In.)	3.08
Length (mm)	78.2
Height (In.)	0.20
Height (mm)	5.2
Width (In.)	0.62
Slot Length (in)	0.31
CE Compliant	Yes
Flammability Rating	V-2
Screw Size Metric	M6
Screw Size	1/4 (M6)
Туре	Screw Applied
Pricing Description	Cable Tie Plate, 1/4 Screw, M-H Ties
Used With Cable Ties	M, I, S, HS, LH, H
Mounting Method	1/4" (M6) Screw
Hole Diameter (mm)	5.9
Hole Diameter (In.)	0.27
Environment	Indoor

Slot Length (mm)	7.9
Min. Order Qty.	500.0000

Unified Physical Infrastructure 💿 💿 🥥 🔘

LEGAL INFORMATION | PRIVACY POLICY | CONTACT US | SITE MAP | WHERE TO BUY | JOBS