



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Protect It! 3-Outlet Travel-Size Surge Protector, 18-in. Cord, 1050 Joules, 2-USB Charging Ports

MODEL NUMBER: TRAVELER3USB



Highlights

- 3 AC power outlets
- 1050 Joule rating
- Concealable 18-inch Power Cord
- 2 USB Charging Ports - 2.1 amp total (5 VDC) for fast charging of cell phones, MP3 players, smartphones, tablets and more

Package Includes

- TRAVELER3USB Surge Suppressor
- Users Manual

Description

Tripp Lite's portable TRAVELER3USB Surge Protector offers complete surge suppression for cell phones, MP3 players, smartphones, tablets, laptops, electronic notepads, personal organizers and other portable electronic devices. Compact and portable, the model comes with an 18-inch concealable cord allowing for compact storage in small luggage or briefcases. It neatly fits into laptop travel cases without scratching expensive electronics. With the addition of 2 USB Charging Ports for a total of 2.1A of total charging power, the TRAVELER3USB allows road warriors the ability to charge mobile devices more easily. TRAVELER3USB offers 3 AC outlets with one widely spaced outlet to accommodate a transformer. A diagnostic "Protected" LED warns of wiring problems and surge suppressor damage. For peace of mind, the TRAVELER3USB is backed by a \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only).

PLUG/OUTLETS: Input: NEMA 5-15P/Output: 3 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A (Requires NEMA 5-15R wall receptacle)

FORMAT: Corded mobile surge with 1 transformer access

SUPPRESSION: AC: 1050 joules

Features

- 1050 joules of AC surge suppression shields equipment from the strongest surges and line noise
- 3 AC outlets with room for 1 transformer plug without blocking outlets
- 2 USB Charging Ports with 2.1 amps total is great for fast charging of cell phones, MP3 player, tablets, laptops and more.
- Portable housing with 18-in. concealable cord allow for ease of mobility and travel in briefcases
- "Protected" Diagnostic LED confirms outlet surge suppression status
- \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)



- Automatic shutoff cuts power to outlets when the protection circuit has been compromised

Specifications

OVERVIEW	
UPC Code	037332149626
OUTPUT	
Charging Ports / Amps	(2) 2.1A
Output Watt Capacity (Watts)	1800
Frequency Compatibility	60 Hz
Output Receptacles	(3) 5-15R
Transformer Accommodation	Supports up to 1 large transformer plug accessory without covering remaining outlets
Output Amp Capacity	15
Right-Angle Outlets	No
INPUT	
Nominal Input Voltage(s) Supported	120V AC
Recommended Electrical Service	120V (110-125V)
Input Connection Type	NEMA 5-15P
Input Plug Features	Space-saving right angle plug
Input Cord Length (ft.)	1.5
Input Cord Length (m)	0.46
Voltage Compatibility (VAC)	120
Maximum Surge Amps	36000
Right-Angle Plug	Yes
USER INTERFACE, ALERTS & CONTROLS	
Diagnostic LED Details	Built-in LED confirmr suppressor "protection present" (green) status
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	1050
Protection Modes	Includes Line to Neutral (L-N), Neutral to Ground (N-G) and Line to Ground (L-G) line surge suppression
Clamping Voltage (RMS)	400
DATALINE SURGE SUPPRESSION	
Telephone/DSL Protection	No



Cable (Coax) Protection	No
Network (Ethernet) Protection	No
PHYSICAL	
Shipping Dimensions (hwd / in.)	7.700 x 2.500 x 3.400
Shipping Dimensions (hwd / cm)	19.56 x 6.35 x 8.64
Shipping Weight (lbs.)	0.7000
Shipping Weight (kg)	0.32
Unit Dimensions (hwd / in.)	5.70 x 2.96 x 1.40
Unit Dimensions (hwd / cm)	14.48 x 7.52 x 3.56
Unit Weight (lbs.)	.62
Unit Weight (kg)	0.28
Material of Construction	Plastic
Anti-Microbial Protected	No
CONNECTIONS	
Ports	2
CERTIFICATIONS	
UL1449 3rd Edition (AC Suppression)	UL1449
cUL / CSA (Canada)	cUL
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty
Connected Equipment Insurance (U.S., Canada & Puerto Rico)	\$25,000 Ultimate Lifetime Insurance

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>