



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






# Tsi352™ PCI-to-PCI Bridge Product Brief

## Device Overview

The IDT Tsi352 is a PCI-to-PCI Bridge that provides a high performance connection path between two peripheral components interconnect (PCI) buses.

Transactions occur between masters on one PCI bus and targets on another PCI bus, and the Tsi352 allows bridged transactions to occur concurrently on both buses. The bridge supports burst-mode transfers to maximize data throughput, and the two bus traffic paths through the bridge act independently.

## Block Diagram



## Features

- Two 32-bit, 33-MHz PCI buses
- Fully compliant with *PCI-to-PCI Bridge Architecture Specification Revision 1.1*
- Configurable for *PCI Power Management Interface Specification Revision 1.0 or 1.1* support
- CompactPCI friendly silicon as defined in the *CompactPCI Hot Swap Specification*
- Provides internal two-tier arbitration for up to four secondary bus masters and supports an external secondary bus arbiter
- Secondary bus is driven low during reset
- Provides five secondary PCI clock outputs
- Burst data transfers with pipeline architecture to maximize data throughput in both directions
- Provides programmable extension windows and port decode options
- Independent read and write buffers for each direction
- Provides VGA palette memory and I/O, and subtractive decoding

## Other

- Advanced submicron, low-power CMOS technology

## Physical

- 160-QFP package
- 3.3 V core logic with universal PCI interface compatible with 3.3 V and 5 V PCI signaling environments

## Benefits


- Bus expansion and electrical load splitting
- Small foot print package making it ideal for applications with tight board real estate requirements
- Expanding the PCI bus and support more slots
- Increases system performance by supporting simultaneous upstream and downstream transactions

## Typical Applications

The Tsi352 can be used in the following applications:

- Multifunction I/O cards
- Motherboards
- Consumer Networking Systems
- Industrial applications
- Back planes

### Typical Application — Digital Video Recorder



NOT AN OFFER FOR SALE

The information presented herein is subject to a Non-Disclosure Agreement and is for planning purposes only. Nothing contained in this presentation, whether verbal or written, is intended as, or shall have the effect of, a sale or an offer for sale that creates a contractual power of acceptance.



**CORPORATE HEADQUARTERS**  
6024 Silver Creek Valley Road  
San Jose, CA 95138

**for SALES:**  
800-345-7015 or 408-284-8200  
fax: 408-284-2775  
www.idt.com

**for Tech Support:**  
email: [ssdhelp@idt.com](mailto:ssdhelp@idt.com)  
phone: 408-284-8208  
document: 80D6000\_FB001\_05